

BHARAT SANCHAR NIGAM LIMITED

(A Government of India Enterprise)

## PERCENTAGE RATE

## e-Tender Document

Name of the work: Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad..

NIT No. :: 16 / BCDH - II / 2023-24 Dt. 25.05.2023

Certified that this document contains 46 printed pages including the cover page.

To be submitted only through Online on website: <u>https://eprocure.gov.in/eprocure/app</u> on or before 15.00 Hours on 2.6.2023.

> EXECUTIVE ENGINEER (CIVIL), BSNL CIVIL DIVISION – II, Bharat Sanchar Nigam Ltd. #703, 7<sup>th</sup>Floor, BSNL Bhavan Adarshnagar, Hyderabad-500063 Contact No :: 9490177288 Email: eecijibydts@gmail.com

#### **NOTICE INVITING e – TENDER**

The Executive Engineer (Civil), BSNL Civil Division - II, Hyderabad invites **<u>PERCENTAGE</u>Rate e-Tenders** on behalf of BHARAT SANCHAR NIGAM LIMITED (A Government of India Enterprise) from approved and eligible contractors of DOT(Civil Wing) / BSNL (Civil Wing) and non-BSNL registered contractors of appropriate class of Public Works Organizations like CPWD, State PWD (R&B)of Andhra Pradesh & Telangana, DOP, MES and Railways for the following work:-

Name of the work: Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad..

NIT No. :: 15 / BCDH - II / 2022-23 Dt. 25.05.2023

1)	Total estimated cost		::	<mark>Rs. 1,32,5</mark> 1	<mark>4/-</mark>
2)	Earnest Money		::	<mark>Rs. 2,800/</mark> -	•
<b>3)</b> refundabl	Tender Fee e)			::	Rs. 590/- (Non-
4)	Period of completion		::	01 (One) Mc	onth
5)	Last date and time of subn	nission	of		
(ONLINE)	Bid	::	<mark>2.6.2</mark>	<mark>023</mark> (upto 15:	00 Hours)

Important information to all intending bidders:

- 1) Under any circumstances the intending bidders shall not request for extension of date of submission of BID.
- 2) Intending bidders are requested to get their digital signatures & complete the process of registration well in time.

For e-Tendering of this tender BSNL is utilizing the e-Procurement system maintained by NIC. The intending bidders shall have to enroll with <u>https://eprocure.gov.in</u> (e procurement system, Central Public Procurement Portal).

The BID forms and other details can be obtained from the websites as follows :

https://eprocure.gov.inor www.telangana.bsnl.co.in

Sd/-

Executive Engineer (Civil) BSNL Civil Division - II, Hyderabad NAME OFWORK: Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad..

## INDEX

Sl.No	Details	Pageno
1	Cover Page& Information	1 to 2
	PART-A	
2	INDEX	3
3	Information and instructions for bidders for e-Tendering	4 - 12
4	Notice Inviting e- Tender(BSNL W-6)	13 - 19
5	PERCENTAGE ratetenderand contract for works(BSNL W- 7/8)	20 - 23
	PART-B	
6	Proforma of Schedules AtoF	24–27
7	Appendix-XV (Notice for appointing of Arbitrator)	28 - 28
8	Correction Slip No. 5,6 & 7to General Conditions	29 - 32
9	Additionalconditions	33 – 34
10	Additional conditions to Civil Works	35 – 39
11	List of Recommended makes of materials for Civil works	40 - 41
12	Declaration	42 - 42
13	Schedule of quantities& abstract	43 - 48
	Certified that this tender document including schedule of quantities contains 48 <b>pages</b>	

Sd/-EXECUTIVE ENGINEER (CIVIL), BSNL CIVIL DIVISION - II, Hyderabad.

## PART - A

### INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), BSNL Civil Division - II,Hyderabad invites **<u>PERCENTAGE</u>**rate e-tenders on behalf of BHARAT SANCHAR NIGAM LIMITED (A Government of India Enterprise) from approved and eligible contractors of DOT(Civil Wing) / BSNL (Civil Wing) and non-BSNL registered contractors of appropriate class of Public Works Organizations like CPWD, State PWD (R&B)of Andhra Pradesh & Telangana, DOP, MES and Railways for the following work:-

1.	SI. No.	
16 / BCDH - II / 2023-24 Dt. <mark>25.05</mark> .2023	2 NIT No.	
Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hvderabad	ω Name of work & Location	Location
Rs. 1,3,514/-	Estimated cost put to tender	t to tender
Rs. <mark>2,800</mark> /-	u Earnest Money	ney
Rs 590/- (Original Schedule Cost to be submitted by 17:00 Hours σ on <mark>1.6</mark> .2023 after uploading along with other documents)	Schedule cost	ost
02 (Two) Months	۲ Period of completion	oletion
Up to 15:00 Hours on <mark>2.6.2023</mark>	Last date & time of submission of online bid, tender processing fee (if any), scanned copies of all Documents as specified in the tender document and EMD.	& time of of online bid, ssing fee (if any), pies of all s specified in the nent and EMD.
15:30 Hours on <mark>3.6.2023</mark>	Time & date of opening of Technical bid.	ning of
16:00 Hours on <mark>3.6.2023</mark>	Time & date of opening of OFinancial bid.	ning of
To be submitted during office hours within a week from the date of opening of Financial Bid i.e., should be submitted latest by 15:30 hours on 10.62023.	Period during which all self attested copies of Documents including Original EMD shall be submitted in Division Office by Lowest Tenderer only	ch all self Documents EMD shall Division Tenderer
	· trub	

• Intending bidders is eligible to submit the bid provided he has valid enlistment and all other documents as sought for participating in this tender which shall be scanned uploaded in the website.

## 1.1.1.1 NO PRIOREXPERIENCE IS REQUIRED FOR PARTICIPATING IN THIS TENDER.

- 2 Information and instructions for bidders posted on website shall form part of biddocument.
- 3 The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website<u>www.telangana.bsnl.co.in</u> or be seen in the office of the Executive Engineer (Civil), BSNL Civil Division II, Hyderabad.
- 4 The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receiptsor the receipt documents related to RTGS/NEFT transfer, e.g. date, amount, transaction id, UTR number etc. duly signed& Bank Guarantee (for EMD) of any Scheduled Bank towards cost of EMD, cost of bid document in favour of Accounts Officer (Cash) (Main), O/o the PGM-HTD, BSNL, Hyderabad (payable at Hyderabad) and e – tender Processing Fee (if applicable) shall be payable through online mode only at <u>https://etenders.gov.in</u>and other documents as specified.

For e-Tendering of this tender BSNL is utilizing e-portal maintained by NIC. The Intending bidder shall have to enroll with <u>https://eprocure.gov.in</u> and upload the mandatory scanned documents suchas**DemanddraftorPayorderorBanker'schequeorFixeddepositReceipt**ofan yscheduled Bank towards cost of EMD and any other e Portal charges as applicable. The intending bidder must have valid Class-II or above digital signature to submit thebid

Note : 1) It is the sole responsibility of the prospective bidders to ensure that the Cost of the Tender document are credited to the above account well before the last date and time of bid submission. Bids for which the above payment is not credited in BSNL account in time will be summarily rejected. 2) Prospective bidders have to submit the receipt documents related to RTGS/NEFT transfer, e.g. date, amount, transaction ID, UTR number etc. duly signed alongwith tender document. Cost of Bid Document - Rs. 590/-, (Rs. Five Hundred Ninety)onlydrawn in favour of Accounts officer(Main), O/o the PGM-HTD, BSNL payable at Hyderabad(ii) e-tender processing feeshall be payable through online mode only at https://etenders.gov.in. Demand Draft or Pay Order or Banker's Cheque or Deposit at Call Receipt or FDR or Bank Guaranteeorreceipt documents related to RTGS/NEFT transfer, e.g. date, amount, transaction id, UTR number etc. duly signed against Cost of Bid Document shall be placed in single sealed envelope 9 superscripted as "Earnest Money, Earnest money declaration, Cost of Bid Document and Cost of Bid Processing Fee" with name of work and due date of opening of the bid also mentioned thereon. Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-Tendering website within the period of bid submission and certified copy of each shall be deposited in a separate envelope marked as "Other Documents". Both the envelopes shall be placed in another envelope with due mention of Name of work, date & time of opening of bids and to be submitted in the **Office of BSNL Civil Division-II, Room No. 703, BSNL Bhavan, Adarshnagar, Hyderabad,** after last date & time of submission of bid and up **to15:00**Hrs on **2.6.2023**. The documents submitted shall be opened technical bid at **15.30**Hrs on **3.6.2023**. Online bid documents submitted by intending bidders shall be opened only of those bidders, whose Earnest Money Deposit, Cost of Bid Document and other documents placed in the envelope are found in order.

The bid submitted shall be opened financial bid at **16:00Hrs** on **3.6.2023**.

The bid submitted shall become invalid and cost of bid & e-Tender processing fee (if applicable) shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
- 5 Those contractors not registered on the website of <u>https://eprocure.gov.in</u>mentioned above are required to get registered beforehand. The last date of submission of bids shall not be extended on account of failure of internet orwebsite.
- 6 The intending bidder must have valid Class-II or above digital signature to submit the bid. Interested bidders are requested to get their digital signatures & complete the process for registration well intime.
- 7 On opening date the contractor can login and see the bid openingprocess.
- 8 Contractor can upload documents in the form of JPG format and PDFformat.
- 9 Contractor must ensure to quote percentage specified in the BOQ.Therefore, if Percentage is left blank and no percentage is quoted by the bidder, that bid shall be invalid and shall be rejected.
- 10 For e-Tendering of this tender BSNL is utilising e-procurement system maintained by NIC. The agency intending to participate in tendering process shall have to register with e- procurement system (Central Public Procurement Portal). For details kindly visit website<u>https://eprocure.gov.in</u>.
- 11 The tenderer should read carefully & understand the tender document, procedure for e- tendering etc. completely before participating in the e-tender procedure. Participation in the e-tendering, presumes that the bidder (s) has/have read all the conditions and agree/abide bythem.

If the contractor is found ineligible after opening of bids, his bid shall become invalid and no Fee paid as e portal charges shall be refunded.

- 13. In case of lowest bidder for the eligibility Documents uploaded online, if any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the bidder the bid shall become invalid and e-Tender Processing Fee shall not be refunded.
- 14. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 15. Copy of Enlistment Order and certificate of work experience and other eligibility

documents as specified in the notice inviting e-tender shall be scanned and uploaded to the e-tendering website within the period of tender submission. However, self-certified copy of all the scanned and uploaded documents as specified in the notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within ONE WEEK of opening of financial bid physically in the office of tender opening authority.

## 16 List of Documents to be scanned and uploaded within the period of bidsubmission:

- a) Certificate of registration / enlistment with competent authority.(\*)
- b) Treasury Challan/Demand Draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR/ Bank Guarantee of any Scheduled Bank against EMD&Treasury Challan/Demand Draft/Pay order or Banker's Cheque/Deposit at Call Receipt for Schedule Cost.
- c) PAN card issued by Income Tax Department.
- d) Certificate of Registration for GST
- e) Certificate of Registration for MSME bidder
- f) An undertaking that "The Physical EMD shall be deposited by me/us with the EE calling the bid in case I/we become the lowest bidder within ONE WEEK of the opening of financial bid otherwise BSNL may reject the bid and also take action to withdraw my/our enlistment/debar me/us from tendering in BSNL."
- g. \* If the bidder is a firm in partnership/Limited company or Corporation, then the scanned copies of Form "A" and partnership deed / memorandum of articles of association and power of attorney / authorization to the person who signs the tender in case of companies etc shall also be uploaded along with scanned copies of other documents.
- h. <u>MSME bidders are exempted from payment of bid security/EMD as per</u> the GFR 2017, Chapter 6, Page 48, and Rule 170.

#### <u>17</u>. <u>ON GST:</u>

- a) The bidder shall quote rates including all taxes viz. GST, Construction Workers Welfare Cess etc., as applicable on the date of opening of the tender.
- b) Intending bidders shall supply goods & services against the GSTN number of the state as specified in the GST registration.
- c) The intending bidder shall invariably mention the GSTIN number of the State in which the services are being made while submitting their tender. The intending bidders shall submit the necessary documentary proof at the time of bidding for the work.

- d) The contractor has to submit the invoice (Running/ final bill of quantities) along with his / their GSTN registration Number & also that of BSNL. Invoice shall be submitted as per GST Act.
- e) Payment to the contractor shall be made only after uploading the Invoice in GSTN. The contractor shall submit the invoices (Running/ final bill of quantities) along with the proof of uploading.
- f) The intending bidders shall accept the debit / credit note whenever / wherever there is a change in the value of supplies made to BSNL and upload the same in GSTN

It is mandatory to upload scanned copies of all the documents including Certificate of Registration for GST. If these documents are not uploaded, then the bid will become invalid and shall summarily be rejected.

#### 18 General

These Special Instructions (for e-Tendering) supplement 'Instruction to Bidders', as enclosed in Part A of the Tender Documents. Submission of Bids only through an online process is mandatory for this Tender.

For conducting electronic tendering, BSNL Civil Zone, Telangana is using the portal (https://etenders.gov.in/eprocure/app) as per the Govt of India guidelines

 Tender Bidding Methodology: Sealed Bid System -- (number of) Stages -- Using Single stage -- Two Envelopes',

In case of two envelope system, Financial & Techno-commercial bids shall be submitted by the bidder at the same time.

- 2. Broad outline of activities from Bidders prospective:
  - 1. Procure a Digital Signing Certificate(DSC)
  - 2. Register on Electronic Tendering System®(ETS)
  - 3. Create Users and assign roles on ETS
  - 4. View Notice Inviting Tender (NIT) on ETS
  - 5. Download Official Copy of Tender Documents from ETS
  - 6. Clarification to Tender Documents on ETS
    - □ Getting clarifications from Tender Inviting Authority (Optional)
    - □ View response to queries posted by Tender Inviting Authority, as addenda.
  - 7. Bid-Submission on ETS
  - 8. Attend Public Online Tender Opening Event (TOE) on ETS Opening of Techno-commercial Part
  - 9. View Post-TOE Clarification posted by Tender Inviting Authority on ETS (Optional)Respond to BSNL's Post-TOE queries
  - 10.Attend Public Online Tender Opening Event (TOE) on ETS Opening of Financial-Part (Only for Technical Responsive Bidders)

#### 3. Digital Certificates

For integrity of data and its authenticity/ non-repudiation of electronic records, and be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC). also referred to as Digital Signature Certificate (DSC), of **Class 2 or above**, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer<u>http://www.cca.gov.in</u>].

#### 4. Registration

To use the Electronic Tender<sup>®</sup> portal (https://etenders.gov.in/eprocure/app), vendor needs to register on the portal. Registration of each organization is to be done by one of its senior persons who will be the main person coordinating for the e-tendering activities. In ETS terminology, this person will be referred to as the Super User (SU) of that organization. For further details, please visit the website/portal, and click on the 'Supplier Organization' link under 'Registration' (on the Home Page), and follow further instructions as given on the site.

Pay Annual Registration Fee as applicable.

Note: After successful submission of Registration details and Annual Registration Fee (as applicable). Please contact NIC Helpdesk (as given below), to get your registration accepted/activated.

NIC Helpdesk	
Telephone	+91 0120-4200462, +91 0120-4001002, +91 0120-4001005
E-mail ID	Technical: <u>support-eproc@nic.in</u>

BSNL Contact-1	
BSNL's Contact Person	Dr. S. Gangaram, Executive Engineer(C)
Telephone/ Mobile	9490177288
	[between 10:00 hrs to 17:00 hrs on working days]
E-mail ID	eeciiihydts@gmail.com

BSNL Contact-2	
BSNL's Contact Person	Shri S.T.L.Sita Rama Murthy, JTO(C) (Plg)
Telephone/ Mobile	9490178988,
	[between 10:00 hrs to 17:00 hrs on working days]
E-mail ID	ssrmbsnl@gmail.com

#### 5. Bid related Information for this Tender (Sealed Bid)

The entire bid-submission would be online on ETS. Broad outline of submissions are as follows:

- □ Submission of Bid Security/ Earnest Money Deposit(EMD)
- □ Submission of digitally signed copy of Tender Documents/ Addendum/addenda
- Two Envelopes
  - Techno-commercial-Part
  - □ Financial-Part

#### 6. Special Note on Security of Bids

Security related functionality has been rigorously implemented in ETS in a multidimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software. Security related aspects as regard Bid Submission are outlined below:

As part of the Electronic Encrypter<sup>™</sup> functionality, the contents of both the 'Electronic Forms' and the 'Main-Bid' are securely encrypted using a Pass- Phrase created by the Bidder himself. Unlike a 'password', a Pass-Phrase can be a multi-word sentence with spaces between words (e.g. I love this World). A Pass-Phrase is easier to remember, and more difficult to break. It is recommended that a separate Pass-Phrase be created for each Bid-Part. This method of bid-encryption does not have the security and data-integrity related vulnerabilities which are inherent in e-tendering systems which use Public-Key of the specified officer of a Buyer organization for bid-encryption. Bid-encryption in ETS is such that the Bids cannot be decrypted before the Public Online Tender Opening Event (TOE), even if there is connivance between the concerned tender-opening officers of the Buyer organization and the personnel of e-tendering service provider.

Typically, Pass-Phrase' of the Bid-Part to be opened during a particular Public Online Tender Opening Event (TOE) is furnished online by each bidder during the TOE itself, when demanded by the concerned Tender Opening Officers who will open the bid. Else Tender Opening Officer may authorize the bidder to open his bid himself.

There is an additional protection with SSL Encryption during transit from the client-end computer of a Supplier organization to the e-tendering server/ portal.

#### Public Online Tender Opening Event(TOE)

ETS offers a unique facility for 'Public Online Tender Opening Event (TOE)'. Tender Opening Officers as well as authorized representatives of bidderscan attend the Public Online Tender Opening Event(TOE) from the comfort of their offices. For this purpose, representatives of bidders (i.e. Supplier organization) duly authorized are requested to carry a Laptop and Wireless Connectivity to the Internet. Every legal requirement for a transparent and secure 'Public Online Tender Opening Event (TOE)' has been implemented on ETS. As soon as a Bid is decrypted with the corresponding 'Pass-Phrase' as submitted online by the bidder himself (during the TOE itself), salient points of the Bids are simultaneously made available for downloading by all participating bidders. The work of taking notes during a manual 'Tender Opening Event' is therefore replaced with this superior and convenient form of 'Public Online Tender Opening Event (TOE)'.

ETS has a unique facility of 'Online Comparison Chart' which is dynamically updated as each online bid is opened. The format of the chart is based on inputs provided by the Buyer for each Tender. The information in the Comparison Chart is based on the data submitted by the Bidders in electronic forms. A detailed Technical and/ or Financial Comparison Chart enhances Transparency. Detailed instructions are given on relevant screens.

ETS has a unique facility of a detailed report titled 'Minutes of Online Tender Opening Event (TOE)' covering all important activities of 'Online Tender Opening Event (TOE)'. This is available to all participating bidders for 'Viewing/ Downloading'.

There are many more facilities and features on ETS. For a particular tender, the screens viewed by a Supplier will depend upon the options selected by the concerned Buyer.

**NOTE**: In case of internet related problem at a bidder's end, especially during 'critical events' such as – a short period before bid-submission deadline, during online public tender opening event, during e-auction, it is the bidder's responsibility to have backup internet connections. In case there is a problem at the e-procurement/ e-auction service-provider's end (in the server, leased line, etc) due to which all the bidders face a problem during critical events, and this is brought to the notice of BSNL by the bidders in time, then BSNL will promptly re-schedule the affected event(s).

#### 7. Other Instructions

For further instructions, the vendor should visit the home-page of the portal (<u>https://etenders.gov.in/eprocure/app</u>), and go to the User-Guidance Center

The help information provided through 'ETS User-Guidance Center' is available in three categories – Users intending to Register / First-Time Users, Logged-in users of Buyer organizations, and Logged-in users of Supplier Organizations / intending bidders. Various links are provided under each of the three categories.

**Note:** It is strongly recommended that all authorized users of Supplier organizations / intending bidders should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups, and minimize teething problems during the use of ETS.

## 8. The following 'FOUR KEY INSTRUCTIONS for BIDDERS' must be assiduously adhered to:

- 1. Obtain individual Digital Signing Certificate (DSC or DC) well in advance of your first tender submission deadline on ETS.
- 2. To Register on ETS well in advance of your first tender submission deadline on ETS
- 3. Get trained on ETS well in advance of your first tender submission deadline on ETS
- 4. Submit the bids well in advance of tender submission deadline on ETS as there could be last minute problems due to internet timeout, breakdown, etc.

While the first three instructions mentioned above are especially relevant to firsttime users of ETS, the fourth instruction is relevant at all times.

- 11. Minimum Requirements at Bidders end
  - □ Computer System with good configuration (Min P IV, 1 GB RAM, Windows XP)
  - □ Broadband connectivity.
  - □ Microsoft Internet Explorer 6.0 or aboveDigital Certificate(s) for users.

## BSNL W - 6

#### BHARAT SANCHAR NIGAM LIMITED (A Government Of India Enterprise)

#### **NOTICE INVITING e-TENDER**

Item rate e-tenders are invited on behalf of BHARAT SANCHAR NIGAM LIMITED (A Government of India Enterprise) from approved and eligible contractors of DOT(Civil Wing) / BSNL (Civil Wing) and non-BSNL registered contractors of appropriate class of Public Works Organizations like CPWD, State PWD (B&R) of Government of Andhra Pradesh & Telangana, DOP, MES and Railways for the work of "Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad."

The enlistment of the contractors should be valid on the last date of submission of bids. In case the last date of submission of bid is extended, the enlistment of contractor should be valid on the original date of submission of bids.

## The intending bidder eligible to submit bid has to scan and upload the following documents within the period of bid submission:

- a) Certificate of registration / enlistment under appropriate with competent authority.(\*)
- b) Treasury Challan / Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR/ Bank Guarantee of any Scheduled Bank against EMD & Treasury Challan/Demand Draft/Pay order or Banker's Cheque/Deposit at Call Receipt for Schedule Cost.
- c) PAN card issued by Income Tax Department.
- d) Certificate of Registration for GST.
- e) An undertaking that "The Physical EMD shall be deposited by me/us with the EE calling the bid in case I/we become the lowest bidder within ONE WEEK of the opening of financial bid otherwise BSNL may reject the bid and also take action to withdraw my/our enlistment/debar me/us from tendering in BSNL."

\*If the bidder is a firm in partnership/Limited company or Corporation, then the scanned copies of Form "A" and partnership deed / memorandum of articles of association and power of attorney / authorization to the person who signs the tender in case of companies etc shall also be uploaded along with scanned copies of other documents.

- 1.1.1 The work is **estimated to cost Rs. 1,32,514/-.** This estimate, however, is given merely as a rough guide.
- 1.1.2 Intending bidders is eligible to submit the bid provided he has Valid enlistment and all other documents as sought for participating in this tender which shall be scanned uploaded in the website.

## 1.2.1 NO PRIOREXPERIENCE IS REQUIRED FOR PARTICIPATING IN THIS TENDER.

- Agreement shall be drawn with the successful tenderer on prescribed Form No:. BSNL W-7/8, which is available on BSNL website www.telangana.bsnl.co.in. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **01 (One) Month** from the **7th day** after the date of issue of letter of award of work, or, from the first day of handing over of the site, whichever is later, in accordance with phasing, if any, indicated in the Tender Document.
- 4.
- (i) The site for the work is available.
- 5. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- a. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.

The bid document consisting of NIT, plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents, NIT & General conditions of contract can be seen and downloaded from BSNL website <u>www.telangana.bsnl.co.in</u> or from the Office of Executive Engineer (Civil), BSNL Civil Division - II, Hyderabad.

6. 1 Earnest Money except MSME, (as mentioned above), in the form of Treasury Challan or Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt or Fixed Deposit Receipt (drawn in favour of Accounts Officer(Cash) (Main),O/o PGM HTD, Hyderabad shall be scanned and uploaded to the e-Tendering website within the period of bid submission.

A part of earnest money is acceptable in the form of bank guarantee also. When the amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of Bank Guarantee also. In such case, minimum 50% of earnest money (but not less than Rs. 5 lakh) or Rs. 25 lakh, whichever is less, will have to be deposited in the shape prescribed above. And balance **may be deposited** in shape of Bank Guarantee of any scheduled bank **having validity for six months or more from the last date of receipt of bids. The EMD has to be scanned and uploaded to the e-Tendering website by the intending bidders within the period of bid submission.** 

The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest bidder within ONE WEEK after opening of financial bid failing which the bid

shall be rejected and enlistment of the agency shall be withdrawn by the enlisting authority. The agency shall be debarred from tendering in BSNL.

The following **undertaking** in this regard **shall also be uploaded** by the intending bidders:-

"<u>The Physical EMD shall be deposited by me/us with the EE calling the bid in</u> <u>case I/we become the lowest bidder within a week of the opening of financial</u> <u>bid otherwise Organization may reject the bid and also take action to withdraw</u> <u>my/our enlistment/debar me/us from tendering in BSNL</u>."

*Note:* Money due to contractor in any other work or earnest money of the previous call of the same work shall not be adjusted towards earnest money.

7. Interested contractor who wish to participate in the bid has also to make following payments within the period of bid submission:

## 7.1 e-tender Processing Fee:- e-Tender Processing Fee as applicable shall be paid by the intending bidder.

- 7.2 The intending bidder has to fill all the details as sought by the e-tendering portal. Copy of Enlistment Order and other documents as specified in the NIT shall be scanned and uploaded to the e-Tendering website within the period of bid submission. However, SELF certified copy of all the scanned and uploaded documents as specified in notice inviting e-tender shall have to be submitted by the lowest bidder only along with physical EMD within ONE WEEK physically in the office of tender opening authority.
- 8.0 Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited e-Tender Processing Fee (as applicable) and Earnest Money Deposit and other documents scanned and uploaded are found in order.

The technical bids of eligible bidders shall opened at **15:00** Hours on **3.6.2023**.

- 8.1 The bid submitted shall become invalid and e-Tender processing fee, as applicable, shall not be refunded if:
- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents (including Certificate of Registration for GST) as stipulated in the bid document *including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded.*
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted *physically by the lowest bidder* in the office of bid opening authority.
- (iv) In case the eligibility credentials are not found genuine at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law

 (v) The lowest bidder does not deposit physical EMD and self-certified copies of documents within a week of opening of bid.

#### 9. The description of the work is as follows:

"Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad."

- 10 Copies of the other drawings and documents pertaining to the work will be open for inspection by the tenderers at the office of the above mentioned officer.
- 11. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender.

A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity, access, facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools & plant, etc., will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.

- 12. The competent authority on behalf of BSNL does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.
- 13. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- 14. The competent authority on behalf of BSNL reserves to himself the right of accepting the whole or any part of the bid and the bidders shall be bound to perform the same at the rate quoted.
- 15. The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
- (i) Member of Hindu Undivided family (HUF).
- (ii) They are Husband and Wife.

(iii) The one is related to other in the manner as father, mother, son(s) & Son's wife (daughter-in-law), Daughter(s), Daughter's husband (son- in-law), brother(s), brother's wife, sister(s), sister's husband (brother- in-law).

The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee/ Gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is going to apply for tender/work. The format of the certificate is as under:-

"I,\_\_\_\_\_\_\_ s/o Shri\_\_\_\_\_\_ Resident of \_\_\_\_\_\_ hereby certify that none of my relative (s) as defined above is/are employed in concerned BSNL Civil Zone. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me".

The certificate in case of Proprietorship Firm shall be given by the proprietor for Partnership Firm certificate shall be given by all partners and in case of Limited Company, by all Directors of the company. However, Government of India/Financial Institutions nominees and independent non-official part-time Directors appointed by Govt. of India or the Governor of the State are excluded from the purview of submission of this certificate while submitting tenders by Limited Companies.

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit/Performance guarantee will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 16. No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU's is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- 17. The tender for the work shall remain open for acceptance for a period of 30 (Thirty) days from the date of opening of the bids. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

- 18. In case of works having tendered value is below Rs. 15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the Proforma annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled. In case of works of tendered value is above Rs.15,00,000/-, the successful tenderer, upon issue of letter of acceptance of Tender, shall be required to furnish Performance Guarantee @ 5% of the tendered value in the form of irrevocable Bank Guarantee of requisite amount to the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender to failure on the part of the successful tenderer to furnish the Bank Guarantee within 15 days, including the extended period if any, the earnest money deposited by the contractor shall be forfeited automatically without any notice to the contractor, and tender will be cancelled.
- 19. This Notice Inviting Tender (BSNL W-6) shall form a part of the Contract Document. In accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee, the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 30 days from such date, formally sign the agreement consisting of: -
- a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard BSNL W-7/8 as on BSNL website <u>www.telangana.bsnl.co.in</u>
- c) Agreement signed on non-judicial stamp paper as per Performa annexed to the tender document.

20.

- a) The contractor has to submit the invoice (Running/ final bill of quantities)along with his / their GSTIN registration Number & also that of BSNL. Invoice shall be submitted as per GST Act.
- b) Payment to the contractor shall be made only after uploading the Invoice in GSTN. The contractor shall submit the invoices (Running/ final bill of quantities) along with the proof of uploading.
- c) The intending bidders shall accept the debit / credit note whenever / wherever there is a change in the value of supplies made to BSNL and upload the same in GSTN
- 21. Payment to the contractors shall be made through e-payment system like ECS& EFT as detailed below: -

- (a) In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer
- (b) The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit.
- (c) In case payment is made to outside branch i.e. Tendereris having bank account not in the same place from where the payment is made by BSNL unit; the crediting cost will have to be borne by the tenderer only.
- (d) The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts where the value of the contract is more than Rs. 10 lakhs.
- 22. First running account bill shall be paid only after
  - a) signing of the Agreement/Contract by both the parties, and
  - b) Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 23. Tenderer may contact on Phone No 9490177288 on or before 17:30 Hours up to 1.6.2023 in case of any queries. No subsequent query will be entertained. Clarification or amendments if any shall be uploaded on BSNL website www.telangana.bsnl.co.inor http://eprocure.gov.in. The clarification or amendments shall also form the part of the agreement.
- 24 General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on BSNL website <u>www.telangana.bsnl.co.in</u>as well as in the Division Office.
- 25. For e-Tendering of this tender BSNL is utilizing e-procurement system maintained by NIC. The agency intending to participate in tendering process shall have to register with e- procurement system (Central Public Procurement Portal). For details kindly visit website<u>https://eprocure.gov.in</u>.
- 26. If any terms and conditions under General Rules and Directions, (which can be seen in general conditions of contract available in BSNL website **www.telangana.bsnl.co.in** is in contravention to terms and conditions as above, the terms and conditions as above shall prevail.

Signature and Name of

Executive Engineer (Civil) For & on behalf of the Bharat Sanchar Nigam Limited

#### BSNL W -7/8

## BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

STATE - Telangana CIRCLE- BSNL Civil Circle, Hyderabad ZONE - Hyderabad DIVISION - BSNL Civil Division - II, Hyderabad

#### Percentage Rate Tender & Contract for Works:

Tender for the work of "Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad."

(i) To be submitted through Online by **15.00**hours on **2.6.2023** 

(ii) To be opened in presence of tenderer who may be present at

- a) Technical Bids *(a)* **15:30**hours on **3.6.2023**
- b) Financial Bids @ 16:00 hours on 3.6.2023

in the office of Executive Engineer (Civil), BSNL Civil Division - II, Hyderabad. (9490177288).

If due to administrative reasons, the venue of Bid opening is changed; it will be displayed prominently on at O/o The Executive Engineer (Civil), BSNL Civil Division - II, Hyderabad, #703, Seventh Floor, BSNL Bhavan, Adarshnagar, Hyderabad, Telangana - 500063.

(Proforma for authorized representative to attend the opening of Bid is given below)

### TENDER

I/ We have read and examined notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/ We hereby tender for the execution of the work specified for the Bharat Sanchar Nigam Limited within the time specified in schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/ We agree to keep the tender open for **30 (Thirty) days** from the due date of submission thereof and not to make any modifications in its terms and conditions. If

I/we withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

A sum of Rs.....only) has beendeposited in prescribed manner as earnest money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

I/We agree that, in case of works of tendered value exceeding Rs 15,00,000/-, to deposit an amount equal to 5% of Tendered value of the work as performance guarantee in the form of bond of any Scheduled Bank of India in accordance with the proforma prescribed or in the form of Fixed Deposit Receipt etc., within 15 days of the issue of letter of acceptance of Tender by the BSNL. I/We am/are aware that in the event of failure on my/our part to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled

I/ We hereby intimate that for receiving payments I/we have an account in\_\_\_\_\_ Bank with account No.\_\_\_\_\_ where the ECS/EFT facility of e-payment is available.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We agree that should I/We fail to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Bharat Sanchar Nigam Limited and the same may at the option of the competent authority on behalf of the Bharat Sanchar Nigam Limited be recovered without prejudice to any right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.

I/ We hereby declare that the GSTIN number of the State in which the services are being provided is \_\_\_\_\_

The information in respect of works in hand is as per proforma enclosed.

"I/we agree that this contract is subject to jurisdiction of Court at Hyderabad only." (Where the NIT/Tender has been issued) Dated.....

Witness: Address:

) Signature of Contractor

Occupation:

Postal Address: -

## ACCEPTANCE

The above tender (as modified by you (Contractor) and as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the Bharat Sanchar Nigam Limited for a sum of Rs\_\_\_\_\_\_ (Rupees

\_\_\_\_\_)

The letters referred to below shall form part of this Contract Agreement:-

(a)\_\_\_\_\_

(b)\_\_\_\_\_

For & on behalf of the Bharat Sanchar Nigam Limited.

Signature\_\_\_\_\_

Dated.....

Name and designation

## For Letter of Authorization for attending Bid Opening Event. (To be typed preferably on letter head of the company)

### Subject: Authorization for attending Bid opening

I/ We Mr. /Ms Have submitted our bid for thetender no in respect of
no in respect of
(Item
of work) which is due to open on (Date) in the Meeting Room,
O/o
We hereby authorize Mr. /Ms& Mr./Ms
Signature of the Representative Signature of Bidder/ Officer authorized to sign
on behalf of the Bidder
Name of the Representative
Signature of the alternative Representative
Name of the alternative Representative
Above Signatures Attested

Note 1: Only one representative will be permitted to attend the Bid opening

2. Permission for entry to the hall where bids are opened may be refused in case authorization as prescribed above is not received.

## PART-B

#### **PROFORMAOF SCHEDULES**

(OperativeSchedules tobe suppliedseparatelytoeachofthe intending tenderer)

#### SCHEDULE"A"

Scheduleof Quantities(Appended)

#### SCHEDULE"B"

ScheduleofMaterials to beissued to the contractor

S.No.	Description of Item	Quantity	Rateinfigures&wordsatwhicht hematerialswill becharged from thecontractor	Placeofissu e
1	2	3	4	5
			NIL	

#### SCHEDULE"C"

Tools and Plantsto behired to the contractor

S.No.	DescriptionofItem	Hirechargesperday	Placeofissue
1	2	3	4
DELETED			

#### SCHEDULE"D"

Extra schedulefor specificrequirements/documents for the work Ifany.

- 1. Additional Conditions
- 2. Additional Conditions to Civil Works

#### SCHEDULE"E"

Scheduleofcomponent of Materials, Labour etc. for escalation.

#### CLAUSE10

Componentof Materialsexpressed aspercentof TotalValueofWork	"X"	73%
ComponentofLabourexpressedas Percentof TotalValueof Work	"Ү"	23%
Component of POL expressed as Percentof TotalValueof Work	"Z"	0%

#### SCHEDULE"F"

(ReferencetoGeneralConditionsofContract)

NameofWork:- Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad...

<mark>Rs.</mark> 1,32,514/-	
<b>Rs. 2,800</b> /-	
luledBankin nated cost put to	_
erup toRs.15Lakhs) n the formofBank	akhs)Rs (Rupees
ExecutiveEng rderabad	gineer (Civil),
esare tobe determined in	50%
Seebelow	
	ngineer (Civil),
	ngineer (Civil), Division - II, Hyderabad.
fRates D.S.R – <mark>2021</mark> /LMR.	
tion slips as on the date of the term" GST Act" shall in x Act 2017 (CGST), State of	fied and corrected with up to of opening clude Central Goods and Service Goods and Service Tax Act, 2017 nd Service Tax Act, 2017 (IGST)
	he formof luledBankin nated cost put to ths)Rs(Rupees rworks with erup toRs.15Lakhs) n the formofBank l Bank in respect of attotenderexceedingRs.15La ExecutiveEng rderabad antityofitemsofworktobe esare tobe determined in 2&12.3 <b>Seebelow</b> ExecutiveEng rderabad. ExecutiveEng rderabad. ExecutiveEng rderabad. ExecutiveEng f materials and sandprofit 10 % fRates D.S.R – 2021/LMR. ractForm BSNL W-8(modi tion slips as on the date of the term" GST Act" shall in x Act 2017 (CGST), State

Rules and any other GST related legislation in India.

25

For the purpose of this agreement, the term 'GST' shall include Central Goods and Service Tax, Act 2017 (CGST), State Goods and Service Tax Act, 2017 (SGST) Integrated Goods and Service Tax Act, 2017 (IGST) Union Territory Goods and Service Tax Act 2017 (UTGST), and any other taxes levied under the GST related legislation in India, as may be applicable.

#### Clause2

Authorityfor fixingcompensation underClause2:Executive Engineer (Civil), BSNL Civil Division - II,Hyderabad.

Clause2A
Whether Clause 2 A shall be No applicable
Clause 3 A
Whether Clause3A shall be No Applicable
Clause5 i)Timeallowedforexecutionofwork. 001 (One) Months
ii) Authoritytogivefairandreasonable Executive Engineer (Civil),extensionof timeforcompletionof work. BSNL Civil Division - II,Hyderabad
Clause 6 A
Whether Clause 6 A shall be NO Applicable
Clause7GrossvalueofworktobedonetogetherwithNetpayment /adjustment of advancesFormaterials collected, if any, sincetheLastsuchpayment forbeingeligibletointerimpayment.1 & Final billClause10
Reinforcement steel to beusedinthe workshall have to be procured as below :
TMT bars Manufactured   BIS approved Secondary producer.
Clause 10 D
Whether Clause 10 D shall be NO Applicable
Clause11Specification to be followed for execution f work.with up to date correction slips.
Clause12
<ul> <li>12.2&amp;12.3 Limit for value of any item of any individual trade beyond which sub clauses (i) to (v) shall not be applicable</li> <li>50 %( fifty percent)</li> </ul>

#### Clause16

Competentauthority fordecidingreducedrates.

Clause 36(i)

General guideline for fixing requirement of technical staff and rate of recovery in case of noncompliance, for a work, shall be as per following table :

S. No.	Minimum Qualification of Technical Representati ve	Discipline	Designation of Principal Technical/Techn ical Representative	Minimum Experience in Years	Numb er	Rate at which shall be made contractor in not fulfilling t of Clause 366	e from the the event of the provision
1.				NIL		figures	words

#### Clause 37(i)

Extent of	GST	payable	by	Applic	able :	for Wo	rks cor	tract	as per ex	tant
Contractor	for	Building	and	GST	Act	with	upto	date	amendr	ient.
Construction	work	s:		Contr GST	actor	shall	quote	rates	inclusive	e of

#### Clause42

i)(a) Schedule / statement for determining Central Public Works Department, theoretical quantities of cement on the basisofDelhi Schedule ofRates Delhi Scheduleofrates2021for Delhi with up to date correction slips printed by CPWD.

#### ii) Variation permissible on theoretical quantities

a) Cement forworkswithestimatedcostsputtotender

i)NotmorethanRs.5lakhs	3%minus
ii)Morethan5lakhs	2%minus

b) Steel reinforcement and structural steel sections foreach diameter, section and category. 2% minus

#### Star prices to be considered

Sl.No	Material	Star Price (RateinFiguresandWords)
1	ForCement	Rs.5,433/-PerMT
2	ForReinforcementSteelconforming toBIS1786(Fe 500D Grade)- TMT bars	Rs.35,892/-PerMT

#### Therateforrecoveryunderclause42shall be same as the Star Price

Joint Chief Engineer (Civil) BSNL Civil Circle, Hyderabad.

#### Appendix – XV

Notice for appointment of Arbitrator (Refer Clause-25)

То

The Chief Engineer BSNL Civil Zone

#### Dear Sir,

In terms of Clause 25 of the agreement, particulars of which are given below, I/We hereby give notice to you to appoint an arbitrator for settlement of disputes mentioned below:

- 1. Name of applicant:
- 2. Whether applicant is individual/Prop Firm/Partnership Firm/Ltd Co
- 3. Full address of the applicant
- 4. Name of the work and contract number in which arbitration sought
- 5. Name of the Division which entered into contract
- 6. Contract amount in the work
- 7. Date of contract
- 8. Date of contract, Date of initiation of work
- 9. Stipulated date of completion of work
- 10. Actual date of completion of work (if completed)
- 11. Total number of claims made
- 12. Total amount claimed
- 13. Date of intimation of final bill (if work is completed)
- 14. Date of payment of final bill (if work is completed)
- 15. Amount of final bill (if work is completed)
- 16.Date of request made to SE for decision
- 17. Date of receipt of SE's decision
- 18.Date of appeal to you
- 19.Date of receipt of your decision

Specimen signatures of the applicant (only the person/authority who signed the contract should sign)

I/We certify that the information given above is true to the best of my / our knowledge. I/We enclose following documents.

- 1. Statement of claims with amount of claims.
- 2.
- 3.
- 4.

Yours faithfully,

(Signature)

Copy in duplicate to:

1. The Executive Engineer Division

## Correction Slip no.5

## (To GCC for civil works-2006)

Clause No.	Present Provision in the clause	Modified provision in the clause
37(i)	Sales Tax/VAT (except Service Tax). Building and other construction workers Welfare Cess or any other tax or cess in respect of this contract shall be payable by the contractor and BSNL shall not entertain any claim whatsoever in this respect. However, in respect of Service Tax, same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.	GST, Building and other Construction Workers Welfare Cess or any other tax or cess in respect of this contract shall be payable by thecontractor and BSNL shall not entertain any claim whatsoever in this respect.
38(i)	All tendered rates shall be inclusive of all taxes and levies (except Service Tax) payable under respect statute. However, if any further tax or levy or cess is imposed by statute, after the last stipulated date for the receipt tender including extensions, if any, and the contractor thereupon necessarily and properly pay such taxes/levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.	All tendered rates shall be inclusive of all taxes and levies viz.GST, Building and other Construction Workers Welfare Cess or any other tax or cess in respect of this contract payable under respective statutes. However, if anyfurther tax or levy or cess is imposed by statute,after the last stipulated date for the receipt oftender including extensions, if any, and thecontractor thereupon necessarily and properly payssuch taxes/levies the contractor shall bereimbursed the amount so paid, provided suchpayments, if any, is not, in the opinion of thedelay in execution of work within the control of thecontractor.

## **Correction Slip No.6**

## (To GCC for Civil Works - 2006)

Clause No.	Present Provision	New Provision
Clause 7	No payment shall be made for work, rates as decided by Engineer-in-charge. The amount admissible will as far as	No change The amount admissible will
	possible be paid by <u>10<sup>th</sup></u> working day after the day of presentation of the bill by the contractor to the Engineer-in-charge or his Asstt.Engineer together with the account of the material issued by the BSNL, or dismantled materials, if any. In the case of works outside the head quarter of the Engineer-in-charge, the period of <u>ten</u> working days will be extended to <u>fifteen</u> working days .	as far as possible be paid by <u>45<sup>th</sup></u> working day after the day of presentation of the bill by the contractor to the Engineer-in-charge or his Asstt .Engineer together with the account of the material issued, or dismantled materials, if any. In the case of works outside the head quarter of the Engineer-in- charge, the period of 45 (Forty Five) working days will be extended to 60(Sixty) working days.
	All such interim payment detailed measurement thereof.	No change

# Correction Slip No.7 ( To GCC for Civil Works - 2006 )

	( To GCC for Civil Works	
Clause	Existing Provisions	Modifications proposed
para of BSNL 6/8		
General Rules and Directions Para 13	The contractor whose tender is accepted, for an amount exceeding Rs.15.00 Lakhs (Rupees Fifteen Lakhs) will be required to furnish an irrevocable PERFORMANCE GUARANTEE of 3% (Five Percent) of the tendered amount in addition to the other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within 15 days of issue of letter of Acceptance of Tender. This guarantee shall be in the form Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of	The contractor whose tender is accepted, for an amount exceeding Rs.15.00 Lakhs (Rupees Fifteen Lakhs) will be required to furnish an irrevocable PERFORMANCE GUARANTEE of <b>5%</b> ( <b>Three Percent</b> ) of the tendered amount in addition to the other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within the <b>period as indicated in Schedule-F.</b> This guarantee shall be in the form Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India.
	India.	The contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board and Programme Chart (Time and Progress) within the period specified in Schedule F.
Clause 5.1.1	Further, in case of works estimated to cost above Rs. 10 Lakhs, the contractor shall, as soon as the contract is awarded, submit a Time and Progress Chart for each mile stone and get it approved by the Engineer – in- Charge. The Chart shall be prepared in direct relation to the time stated in the contract document for completion of items of work and can be based	The Contractor shall submit a Programme Chart (Time and Progress) for each milestone along with performance guarantee and get it approved by the Engineer – in- Charge. The Chart shall be prepared in direct relation to the time stated in the contract document for completion of items of work and can be based
Clause 7A	No Provision	No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in- Charge.

Clause 19		
	The contractor shall register himself under Building and Other Construction Workers (Regulation of Employment & Condition of service) Act 1996 & under Building and Other Construction Workers (Regulation of Employment & Condition of service) Act 1998 and Building and Other Construction Workers Welfare Cess Act 1996 and Building and Other Construction Workers Welfare Cess Rules 1996 AND shall obtain a valid license under the Contract Labour(R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971, as amended from time to time, before the commencement of the work and continue to have these validated until the completion of the work.	under Building and Other Construction Workers (Regulation of Employment & Condition of service) Act 1996 & under Building and Other Construction Workers (Regulation of Employment & Condition of service) Act 1998 and Building and Other Construction Workers Welfare Cess Act 1996 and Building and Other Construction

#### SCHEDULE-D

#### **ADDITIONAL CONDITIONS**

#### (i) CEMENT

The contractor shall procure 43/53 grade (conforming to IS:8112/I2269) ordinary Portland cement/ Portland Pozzalona Cement (conforming to IS:1489) as required in the work, from reputed manufacturers of cement having a production capacity of one million tonnes or more per annum such as ACC, Ultratech, ZUARI, Birla and Cement Corporation of India, Gujarat Ambuja etc., as approved by the Ministry of Industry, Government of India and holding license to use ISI certification mark for their product. The tenderers may also submit a list of names of cement manufacturers which they propose to use in the work. The tender accepting authority reserves right to accept or reject name(s) of cement manufacturer(s) which the tenderer proposes to use in the work. No change in the tendered rates will be accepted if the tender accepting authority does not accept the list of cement manufacturers, given by the tenderer, fully or partially. Supply of cement shall be taken in 50 kg bags bearing manufacturer's name and ISI marking. Samples from cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of relevant BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-Charge to do so.

#### Note: Use of cement with GGBS/Fly ash are recommended.

#### (ii) GST

GST, up to the extent mentioned in Schedule-F, shall be payable by the contractor and BSNL shall not entertain any claim whatsoever in this respect.

#### (iii) CONSTRUCTION WORKERS WELFARE CESS

Cess under building and other construction worker's welfare cess "Act 1996" and building and other construction workers Cess rules not withstanding anything contained in this contract, cess at the rate stipulated under Clause 3(1) of the Building and other construction worker's welfare Cess Act 1996, shall be recovered from the gross amount of the bill / bills payable under this contract.

#### (iv) OTHER CONDITIONS

- a) Other agencies doing works related with this project will also simultaneously execute the works and the contractor shall afford necessary facilities for the same. The contractor shall leave such necessary holes, openings etc., for laying/burying in the work of pipes, cables, conduits, clamps, boxes and hooks for fan clamps etc., as may be required for other agencies, conduits for electrical wiring/cables will be laid in a way that they leave enough space for concreting and do not adversely affect the structural members. Nothing extra over the agreement rates shall be paid for the same.
  - b) All safety precautions are to be taken by the agency for the working labour and inspecting officers by taking appropriate actions. (Insurance, safety helmets, safety belts, glues etc.)
  - c) The contractor shall take instructions from Engineer-in-Charge for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services of compound walls are to be constructed.
  - d) All materials that are tested for use in the work shall be procured well in advance so that enough time is available for testing and approval of these materials by the Engineer-in-Charge.

### **ADDITIONAL CONDITIONS FOR CIVILWORKS**

#### 1.0 SETTINGOUT

TheContractorshallcarryoutsurveyoftheworkarea,athisowncost,settingoutthelayoutof compound wall & other structures inconsultationwiththeEngineer-in-Charge &proceedfurther.Anydiscrepancy betweenthearchitectural drawingsandactual layoutatsiteshallbe broughttothenoticeoftheEngineer-incharge.Itshallberesponsibilityofthe Contractor toensure correctsettingoutofalignment. Total station surveyinstruments onlyshall beallowedtobeusedforlayout,fixingboundaries,centrelines,etc.,alongwiththeodolites. Nothingextra shallbepayableonthisaccount.

The Contractor shall establish, maintain and assume responsibility for grades, lines, levels and benchmarks.Heshallreportanyerrorsorinconsistenciesregardinggrades,lines,levels,dim ensionsetc. to the Engineer-in-Chargebeforecommencingwork.Commencementofworkshallberegardedasthe Contractor's acceptance of such grades, lines, levels, and dimensions and noclaim shall been t ertained at a later date for anyerrors found.

If a tanytime, any error in this regard appears during the progress of the work, the Contractor shall, a this own expense rectify such error, if so required, to the satisfaction of the Engineer-in-Charge. Nothing extra shall be payable on this account.

Though the site levels are indicated in the drawings the Contractor shall ascertain and confirm by them self, the site levels with respect to benchmark from the concerned authorities. The Contractor shall protect and maintain temporary/permanent benchmarks at the site of work throughout the execution of work. These benchmarks shall be got checked by the Engineer-in-Charge or his authorized representatives. Nothing extra shall be payable on this account.

Theworkatdifferent stagesshallbechecked with reference to benchmarks maintained for the said purpose.

The cost of carrying out layout satally tages including marking of reference points, center lines of the building etc. including construction/maintenance

ofsaidbenchmarksshallbedeemedtobe includedinquotedratesquotedforvariousitems. Nothingextrashallbepayableonthisaccount.

 Theapproval
 bytheEngineer-in-Charge,
 of thesettingoutof the alignment

 of the compound
 wall
 & other

 etmostructures
 bethe Control et alignment
 other

 $structures, by the {\tt Contractor}, shall not relieve the {\tt Contractor} of any of his responsibilities and obligation to$ 

rectify the errors/defects, if any, which may be found at any staged uring the progress of the work kor after the completion of the work.

The Contractor shall be entirely and exclusively responsible for the horizontal, vertical and other

in-Charge.

The rates quoted bytheContractor aredeemed tobeinclusive ofsiteclearance, setting outwork, profile, establishment ofreference bench mark(s), taking spotlevels, construction ofallsafety and

37

protection devices, barriers, preparatory works, working during monsoon, working at all depths, height

andlocationetc.andanyotherincidentalworksrequiredtocompletethiswork.Nothingextras hallbe payableonthisaccount unless specifically mentioned in the item nomenclature.

#### 1.0 QUALITYCONTROLANDTESTINGOF MATERIALS

a) AllthematerialtobeusedintheworkshallbearISIcertification markunlessotherwisethemakeis

specified in the items, particular specification and list of recommended makes of materials appended with this tender document. In case ISI mark materials or the materials mentioned in the tender documents are not available, the material to be used shall conform to CPWD specifications applicable to this tender, national or international code as approved by Engineer-in-Charge. In such cases, the Engineer-in-charge shalls at is fying self about the quality of such materials and give his approval in

charge shalls a tis fyhims elfabout the quality of such materials and give his approval in writing. Only articles classified, as first quality by the manufacturers/suppliers shall be used in the

work, unless otherwises pecified. All material not having ISI mark, if allowed to be used in the work by the Engineer-in-Charge, shall be tested as per relevant specifications, as approved by the Engineer-in-Charge.

b) TheContractorshallprocureandprovideallthematerialsfromthemanufacturers/suppliers asperthe

list attached with the tender documents, a spertheitem description and particular specifications for the work.

The equivalent brandfor any items hall be permitted to be used in the work, only if approved by Engineer-in-charge or when the specified make is not available. Documentary evidence needs to be produced by the contractor for non-availability of the brandspecified and shall also be subjection dependent verification by the Engineer-in-Charge. In exceptional cases, where such approval is required, the decision of Engineer-in-

Chargeasregardsequivalentmakeofthematerial shallbefinalandbindingontheContractor. No claim,whatsoever,ofanykindshallbeentertainedfromtheContractoronthisaccount. Nothingextra shallbepayableonthisaccount.

Also, the material shall be procured only after the written approval of Engineer-in-Charge.

c) Allthematerialstobeusedinthework,togivethefinishedworkcompleteinall respects,shallcomplywiththerequirementsofthespecificationsandshallpassallthetestsre quired as perspecificationsasapplicableorsuchspecifications/standardsasdirectedbytheEngineer -in- Charge.

- d) Thetests,asnecessary,shallbeconductedinthelaboratoryapprovedbytheEngineer-in-Charge. The samples shall be taken for carrying out all or any of the tests stipulated in the particular specificationsandasdirectedbytheEngineer-in-Chargeorhisauthorizedrepresentative.
- e) TheContractorshallathisownriskandcostmakeallarrangementsandshallprovideallsuchfac ilities, the Engineer-in-Charge may require for collecting, preparing, forwarding the required number of samplesfortestingasperthefrequencyofteststipulatedinthecontractspecificationsorasconsi dered necessarybytheEngineer-in-Charge, atsuchtimeandtosuchplaces,asdirectedbytheEngineer-in-Charge.Nothingextrashallbepayablefortheabove.
- f) TheContractororhisauthorizedrepresentativeshallassociateincollection, preparation, for wardingand testingofsuchsamples. In case he or his authorized representative is not present or does not associatehimself, theresultofsuchtests and consequences there on shall be binding on the Co ntractor. TheContractororhisauthorized representatives hall remain incontact with the Engineerin-Charge orhisauthorized representative associated for all such operations. No claim of payment or clai mofany other kind, what soever, shall be entertained from the Contractor.

mofany otherkind,whatsoever,shallbeentertainedfromtheContractor. TheContractorathisownexpenseshallsupply materials,Labourforpreparingandtestingsamples asrequired bytheEngineer-in-

Charge. The testing shall be carried out in the presence of the representativeoftheEngineer-in-Charge, ifsodirectedbytheEngineer-in-Charge.

g) Unless otherwise specified elsewhere inthistender document, the testing charges shall be bornebytheDepartmentonlywhenthesamplessatisfytheprovisionspecifiedandthes amples conformtotherequirementoftherelevantspecifications. If the results show that the samples do not satisfy the relevant specified criteria, the testing charges shall be borne by the contractor.

- h) TheContractorshallatallreasonabletimesprovideaccesstotheEngineer-in-Charge or hisauthorized representative totheworkshops, factoriesorotherplaceswherematerials arestored,forinspection and/orcollectionofsamples.Nothingextrashallbepayableonthisaccount.
- i) Materials(requiredforthework)procuredbytheContractorshallbestoredbytheContractoro nlyat places,instandardprofilesandinthemanner,as perthemanufacture'sspecificationsandasapproved bytheEngineer-in-Charge. Storageandsafecustodyofallmaterialsshallbethesoleresponsibilityof theContractor.

#### 3.0 STORAGEOFMATERIALS

The Contractor shall construct suitable godowns/sheds a specifications for storing them a terials

safely,againstdamageduetosun,rain,dampness,fire,theftetc.Heshallalsoemploynecessa ry watchandwardforthepurpose.The contractor shall take instructions from the Engineer-in-charge for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services or compound walls are to be constructed. The contractor shall be fully responsible for the safe custody of the materials issued to him even if the materials are under double lock system.

#### 4.0 QUALITYASSURANCE

TheContractor shallmakeavailable, onrequestfromBSNL, forrecord,copiesofchallan, cashmemos,receiptsandothercertificates,ifany,voucherstowardsthequantityandquality of Steel and Cementprocuredandthesameshallbekeptinrecord.Theseshallalsoprovideinformation,on the nameofthemanufacturer, manufacturer's productidentification, manufacturer's instructions, warning, dateof manufacturingandtestcertificates(frommanufacturersfor theproductfor eachconsignment delivered atsite), shelf life, ifanyetc., for thedepartment toensure that the material have been procured fromtheapproved source andisoftheapproved quality,asdirected bytheEngineer-in- Charge. Theday to dayreceiptsandissueaccountsofcementshallbemaintainedbytheEngineer-in-

Charge and signed daily by the contractor or his authorized agent. Nothing extra shall be payable on this account.

#### 5.0 DEPLOYMENTOFCENTRINGANDSHUTTERING:

Thesteelcenteringandshutteringandotherconnectedmaterialsrequiredfor workshallbemadeavailablewithin 10daysofstipulateddateofstartofwork, Thematerialsobroughtshallnotberemovedfromthesite of work, unless connected works are completed and approval of Engineer-in-Charge is obtained. ThedecisionoftheEngineer-in-Chargeinthisregardshallbefinalandbinding uponthecontractor.

- 6.0 Some restrictions may be imposed by the local police etc. on the working time and for movement of labour, materials etc. the contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account.
- 7.0 The works shall be carried out in a manner complying in all respects with the requirements of relevant bylaws of the local body under the jurisdiction of which the work is to be executed and/ or as directed by the Engineer-in-charge and nothing extra will be paid on this account. If as per municipal rules the huts for labour are not to be erected at the site of work by the contractors, the contractors are required to provide such accommodation as is acceptable to local bodies and nothing extra shall be paid on this account. The contractor shall comply with proper and legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges, which he may be liable.

# 8. MINES & QUARRIES - RECOVERY OF SEIGNIORAGE CHARGES FROM THE BILLS OF THE CONTRACTORS.

Royalty at the prevalent rates shall be deducted from the bills of the contractors on the materials (Where royalty is payable, like boulders, sand etc.) as per Government of Telangana Circular G.O.M.S. No. 67 Dated 25.9.2015. If any gazette notification is issued by Government of Telangana in lieu of the above, the same shall prevail). The quoted rate of the contractor shall be inclusive of such royalty and taxes etc and nothing extra shall be payable on this account.

- 9.0 The contractor will have to work according to the program of work, approved by the Engineer-in-charge.
- 10.0 Water charges: Clause 31A of BSNL W-8 for water supply is not applicable since the contractor has to arrange water for construction purposes. And this water shall be tested from a recognized laboratory periodically as directed by the Engineer-in-Charge. Testing charges will be borne by the contractor.
- 11.0 The contractor shall get the samples of various materials, fittings to be used in work approved well in advance from the Engineer-in-Charge before placing orders. The contractor shall produce all the materials in advance so that there is sufficient time for testing and approving of the material and clearance of the same before use in work.
- 12.0 In case of concrete and reinforced concrete work, for which the contractor shall be required to make arrangement for carrying out compression strength tests at his own cost. He shall render all assistance for the preparation of cubes, safe custody of the same, proper curing and carriage up to the laboratory where the test is to be performed. The cube tests can be performed at any laboratory approved by the Engineer-in-charge.
- 13.0 The structural and architectural drawings shall at all times be properly correlated before executing any work. In case of any discrepancy in the items given in the schedule of quantities appended with the tender and Architectural drawings relating to the relevant item, the former shall prevail unless otherwise given in writing by the Engineer-in-Charge.

## LIST OFRECOMMENDED MAKES OF MATERIALS FOR CIVIL WORKS

The list of recommended makes of materials is give below. The conditions given in para 2.0 under "Additional conditions for civil works" of the tender document shall apply for the same.

<u>APPENDIX –I</u> LIST OF PREFERRED MAKES FOR CIVIL/SANITARY WORKS					
Earthwork.					
Grouting Compound.	Fosroc, HILTI, Laticrete				
Concrete Works					
Ordinary Portland Cement (Grey) (43/53 Grade) conforming to IS 1489(Part 1) /Portland Pozzalona Cement (conforming to IS:1489)	ACC, Ultratech, Gujarat Ambuja, priya, Zuari, CCI, Chettinad				
Water Proofing Compound	Fosroc,Sika, Pidilite, CICO				
RCC Works					
Reinforcement Steel	BIS approved primary producers of steel.				
Ready Mix Concrete	L&T, Birla Ultratech, Lafarge, Aparna and ACC				
Bitumen impregnated fiber board	shalitex board (S/S) of shalimar products or equivalent				
Expansion Joint sealing compound	Shalimar/ Capitex				
Non-asbestos fiber cement board	Charminar, Visakha				
Admixtures	Fosroc, Pidilite, Roff.				
Factory made precast RCC perforated drain covers	Kittu ,KK, Advent,Newtech				
Brick work					
Fly ash cement ( Non modular ) bricks conforming to IS:12894-2002, class designation 7.5	M/s Prakash International Ltd., M/s Aparna Enterprises Ltd.				
Stone work					
Rigid PVC pipes-working pressure4kg/cm2	Supreme, Prince, Sudhakar, Astral				

#### APPENDIX -I

Steel work	
Structural Steel, Bar, Flats,Angle, Tee Sections	SAIL, TATA(TISCO), RINL or equivalent.
M.S. Pipe, Tubes	TATA, Jindal or equivalent
Pressed steel door frames	MPP (Metal profile projects) / Shakti Met-doors
Stainless steel (Grade 304)	Salem, Jindal, SAIL
Flooring	
White Cement.	Birla White/J.K. white.
Vitrified ceramic tiles.	NITCO, RAK, Kajaria
Ceramic glazed tiles	NITCO, RAK, Kajaria
Pre polished designer cement concrete exterior floor tiles	M/s Hindusthan Tiles or approved equivalent
Granite/ Shabad/Tandur	Samples are displayed in Office of Executive Engineer
Finishing	
Acrylic Distemper/Plastic emulsion, primers, exterior emulsion	Asian Paints, ICI, Berger, Nerolac (with low VOC content)
Synthetic Enamel Paint.	Asian Paints, ICI, Berger, Nerolac (with low VOC content)
Water proof cement paint.	Snowcem, Nitcocem.

#### DECLARATION

6(A) - For understanding the terms & condition of Tender & Spec. of work

- a) Certified that:
  - 1. I/ We ...... have read, understood and agree with all the terms and conditions, specifications included in the tender documents & offer to execute the work at the rates quoted by us in the tender form.
  - 2. If I/ We fail to enter into the agreement & commence the work in time, the EMD/SD deposited by us will stand forfeited to the BSNL.
- b) The tenderer hereby covenants and declares that:
  - 1. All the information, Documents, Photo copies of the Documents/ Certificates enclosed along with the Tender offer are correct.
  - 2. If anything is found false and/or incorrect and/or reveals any suppression of fact at any time, BSNL reserves the right to debar our tender offer/ cancel the LOA/ Purchase/ work order if issued and forfeit the EMD/ SD/ Bill amount pending with BSNL. In addition, BSNL may debar the contractor from participation in its future tenders.

Date: ..... Signature of Tenderer

Place:....

Name of Tenderer.....

Along with date & Seal

### **SCHEDULE OF QUANTITIES**

Name of the work : Repair and maintenance works to toilets including water supply & sanitary lines for leasing out vacant space to Postal Department at Telephone Exchange, Miyapur, Hyderabad.

Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form look rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide PVC sheet out of which 75 mm shall be the provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet bading on inner side, and joined together with solvent cement adhesive.	R-21 ode
<ul> <li>frame made out of M.S. tubes of 19</li> <li>gauge thickness and size of 19 mm x</li> <li>19 mm for styles and 15x15 mm for</li> <li>top &amp; bottom rails. M.S. frame shall</li> <li>have a coat of steel primers of</li> <li>approved make and manufacture.</li> <li>M.S. frame covered with 5 mm thick</li> <li>heat moulded PVC 'C' channel of size</li> <li>30mm thickness, 70 mm width out of</li> <li>which 50 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree angle on</li> <li>botts side forming styles and 5 mm</li> <li>thick, 95 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the M.S. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet beating on inner</li> <li>side, and joined together with solvent</li> </ul>	
<ul> <li>gauge thickness and size of 19 mm x</li> <li>19 mm for styles and 15x15 mm for</li> <li>top &amp; bottom rails. M.S. frame shall</li> <li>have a coat of steel primers of</li> <li>approved make and manufacture.</li> <li>M.S. frame covered with 5 mm thick</li> <li>heat moulded PVC 'C' channel of size</li> <li>30mm thickness, 70 mm width out of</li> <li>which 50 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree angle on</li> <li>both side forming styles and 5 mm</li> <li>thick, 95 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2 ) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the M.S. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet be with solvent</li> </ul>	
19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beating on inner side, and joined together with solvent	
have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
<ul> <li>approved make and manufacture.</li> <li>M.S. frame covered with 5 mm thick</li> <li>heat moulded PVC 'C' channel of size</li> <li>30mm thickness, 70 mm width out of</li> <li>which 50 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree angle on</li> <li>both side forming styles and 5 mm</li> <li>thick, 95 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the M.S. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet with solvent</li> </ul>	
<ul> <li>M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail.</li> <li>Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail &amp; bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles &amp; rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent</li> </ul>	
<ul> <li>heat moulded PVC 'C' channel of size</li> <li>30mm thickness, 70 mm width out of</li> <li>which 50 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree angle on</li> <li>both side forming styles and 5 mm</li> <li>thick, 95 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2 ) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the MS. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet beading on inner</li> <li>side, and joined together with solvent</li> </ul>	
30mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
<ul> <li>which 50 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree angle on</li> <li>both side forming styles and 5 mm</li> <li>thick, 95 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered in 45 degree on the</li> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the M.S. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet beading on inner</li> <li>side, and joined together with solvent</li> </ul>	
both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
<ul> <li>thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail.</li> <li>Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail &amp; bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles &amp; rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent</li> </ul>	
shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
<ul> <li>inner side to form top and bottom rail</li> <li>and 115 mm wide PVC sheet out of</li> <li>which 75 mm shall be flat and 20 mm</li> <li>shall be tapered on both sides to form</li> <li>lock rail.</li> <li>Top, bottom and lock rails shall be</li> <li>provided both side of the panel. 10</li> <li>mm (5 mm x 2) thick, 20 mm wide</li> <li>cross PVC sheet be provided as gap</li> <li>insert for top rail &amp; bottom rail,</li> <li>paneling of 5 mm thick both side PVC</li> <li>sheet to be fitted in the M.S. frame</li> <li>welded/ sealed to the styles &amp; rails</li> <li>with 7 mm (5 mm+2 mm) thick x 15</li> <li>mm wide PVC sheet beading on inner</li> <li>side, and joined together with solvent</li> </ul>	
and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent	
mm wide PVC sheet beading on inner side, and joined together with solvent	
side, and joined together with solvent	
An additional 5 mm thick PVC strip of	
20 mm width is to be stuck on the	
interior side of the 'C' Channel using	
PVC solvent adhesive etc. complete as	
per direction of Engineer-in-charge,	
manufacturer's specification &	
drawing.	

- a) 30 mm thick plain PVC door shutters.
- 2 Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground , all complete as per directions of Engineer-In-Charge.
- a) With cement mortar 1:4 (1 cement : 4 fine sand).
- 3 Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.
- 4 Providing and fixing wash basin with C.I. brackets, 15 mm PTMT pillar cock, 32 mm PTMT waste coupling of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required. White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm PTMT pillar cock.
- 5 Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings andfixtures complete, including cutting and making good the walls and floors wherever required :
- a) W.C. pan with ISI marked white solid plastic seat and lid
- 6 Providing and fixing PTMT bib cock of approved quality and colour.
- a) 15mm nominal bore, 86 mm long. Weighing not less than 88 gms.

5.00	Sqm	2455.10	One Square Metre	12276.00	9.120.1
15.00	Sqm	462.30	One Square Metre	6935.00	14.1.1
2.00	No.	110.70	Each	221.00	14.82
3.00	No.	2521.85	Each	7566.00	17.7B
2.00	No.	5540.55	Each	11081.00	17.2.1
5.00	No.	109.85	Each	549.00	18.54.1

- 7 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed on wall
- a) 20 mm nominal outer dia. Pipes.
- b) 25 mm nominal outer dia .Pipes.
- 8 Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:
- a) Float glass panes of nominal thickness
   4 mm (weight not less than 10kg/sqm).
- 9 Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account)

20.00	m	325.10	One Running Metre	6502.00	18.7.2
30.00	m	408.55	One Running Metre	12257.00	18.7.3
3.00	Sqm	941.95	One Square Metre	2826.00	14.5.1
20000.00	Ltr	0.40	One Litre	8000.00	14.75A

- 10 Cleaning and de-silting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge.
- 11 Cleaning of chocked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial de-silting of manholes and de-chocking of sewer lines. De-chocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm dia for all depth.
- 12 Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.
- 13 Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.
- 14 Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.
- 15 Providing and fixing PTMT stop cock of approved quality and colour.
- a) 15 mm nominal bore, 86 mm long. Weighing not less than 88 gms.
- 16 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.

4.00	No.	89.45	Each	358.00	14.76
30.00	m	285.90	One Metre	e Metre 8577.00	
3.00	No.	357.55	Each	1073.00	14.79
2000.00	Ltr	9.70	One Litre	19400.00	18.48
2.00	No.	1382.30	Each	2765.00	17.23
6.00	No.	103.15	Each	619.00	18.55.1

a)	Flexible pipe						
(i)	32 mm dia	5.00	No.	104.35	Each	522.00	17.28.2.:
17	Providing and fixing uplasticised PVC connection pipe with brass unions :						
a)	30 cm length						
(i)	15 mm nominal bore	5.00	No.	74.80	Each	374.00	18.21.1.:
18	Providing and fixing in position pre- cast R.C.C. manhole cover and frame of required shape and approved quality						
a)	L D - 2.5						
(i)	Rectangular shape 600x450 mm internal dimensions	5.00	No.	1255.25	Each	6276.00	19.19.1.:
(ii)	Square shape 450 mm internal dimensions	3.00	No.	1047.80	Each	3143.00	19.19.1.2
19	Cleaning of existing sanitary pipe alignment of 150/100 /75 mm dia in vertical or Horizontal direction of existing all floors by opening door tee/ bend at each floor , clearing the deposited obstacles including rodding and refixing the doors with new rubber washer and jointing the same job includes replacing door covers, bolts and nuts wherever required to arrest the leakage all as per directions of Engineer-In-Charge(Each opening of door bend and removal of blockages including above operation will be						
20	measured as one job.) Charges for demolising the existing WC pan with trap from position including surrounding lime concrete comple to minium required size to fix new WC pan with trap including jointing with the existing waste, refilling the surroundings	2.00	job	715.15	One Job	1430.00	LMR
	with lime concrete and finishining the floor with cement concrete flooring all complete as per the direction of Engineer-in Charge.(The rate includes the disposal of all the debries to the dumpimg ground)	1.00	Nos	1800.86	Each	1801.00	LMR
	· · · · · · · · · · · · · · · · · · ·			Total :		114551.00	
	Total of Schedule Items	1113	20.00				
	Total of MR Items	32	31.00				

Add difference in GST i.e. 18% instead of 12% as per DSR-21 and reduction due to CP i.e. 10% instead of 15% by multiplying factor of 0.0078 on DSR-18 items only!  $= (111320 \times 0.0078)$ 868.00 : 115419.00 Add difference in Cost Indicies of DSR-21(CI : 105) and HYDERABAD(CI : 121) on DSR-21 items only : 17095.00

132514.00

ABSTRACTOFSCHEDULE						
NameofWork: Repair and maintenance works to toilets including was supply & sanitary lines for leasing out vacant space to Po Department at Telephone Exchange, Miyapur, Hyderabad					nt space to Postal	
NITI	No:	16 / BCDH - II / 2023-24 Dt. 25.05.2023				
Esti: ende	matedCostPuttoT er:	Rs. 1,32,514/-				
Nam	eofContractor:					
S1. No	Nameof Component	Estimated Cost	Percentagea bove/belowor at par theEstimated Cost	-	TotalCost (Rs.)	
1	Civil	Rs. 1,32,514/-				
	Total					

#### **Important Notes:**

- 1. ThePercentageratequotedbythetenderershallbefirmandinclusiveofGST&allotherapplicabletaxes, duties, cess, levies, Octroi etc. in respect of this contract and Government shall not entertain any claimwhatsoeverinthisrespect.
- 2. The Estimated Cost Put to tender has been worked out by taking into consideration the Cost Index ofHyderabadfor **DSR 2021**itemsand consideringMarketRatesfor**NSR**items.
- 3. Thebidderisrequested to quote a single consolidated percentage only above/below Estimated Costputt oten der to cover all the item sunder the schedule of composite tender. This column should not be left Blank.
- 4. The bidder should select Above, Below or At Par before quoting percentage figures upto 2 (two) places ofdecimals.
- 5. The bidder shall enable the macros before entering the figures to see the quoted percentage and amount inwords.

#### Signature of Contractor: Executive Engineer(C)

#### Postal Address: BSNL Civil Division - II,

Hyderabad

e-mailID: