

BHARAT SANCHAR NIGAM LIMITED

(A Government of India Enterprise)
(CIVIL WING)

ITEM RATE - TENDER DOCUMENT

e-Tender

Name of work: Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.

THIS TENDER DOCUMENT CONTAINS PAGES (1) TO (47) ONLY.

INDEX

S1 No	Details	Page No
1.	Cover page & Index	1 - 2
2.	Brief NIT	3
3.	NIT e-Tender (BSNL W-6)	4 - 10
4.	Important Information & instructions for Contractors/Bidders for e-tendering	11 - 13
5.	List of Documents to be scanned and uploaded within the period of Tender submission	14
6.	Declarations to be given by the Tenderers	15
7.	General rules and direction	16 - 18
8.	BSNL W-7/8 Abridged	19 - 21
9	Proforma of Schedules A to F	22 - 26
10.	Special Conditions of Contract	27 - 33
11.	Protection of Life, Property and Existing Facilities	34
12.	Conditions for Cement& Steel	35 - 38
13.	Schedule D –Additional conditions	39 - 40
15	List of preferred makes of various items of work	41 - 42
18	Schedule of Quantities	43 - 47

Notice Inviting e-Tender

The Executive Engineer (Civil), BSNL CIVIL DIVISION, Warangal, on behalf of Bharat Sanchar Nigam Limited invites, item rate e-tender for the work of " Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR."

NIT No : 55/NIT/CETSCZ/HYD/2024-25 DATE: 08.10.2024

Estimated Cost: Rs 2,91,843/-

Earnest Money: Rs 5,900/-

Tender Cost/Cost of bid Rs 590/-

Period of Completion: Forty Five (45) days

Last Time and Date

of Submission of on line bid: 18:00 hours on 16.10.2024.

Last Time and Date of Submission of

Physical EMD & Cost of Tender: 15:00 hours on 18.10.2024.

The bid forms and other details

can be obtained from the website https://etenders.gov.in

Executive Engineer (Civil)



B.S.N.L.W-6

NOTICE INVITING e- TENDER

NIT No: 55/NIT/CETSCZ/HYD/2024-25 DATE: 08.10.2024

1.0 Item rate e-tenders are invited on behalf of **BHARAT SANCHAR NIGAM LIMITED (A Government of India Enterprise)** from approved and eligible contractors of D.O.T/ BSNL and Non BSNL contractors, registered with Public Works Organizations like CPWD, State PWD (B&R), DOP, MES & Railways only having valid GST and EPF registration for the work of:-

Name of work	Estimated cost	E.M.D	Period of completion
Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.	Rs 2,91,843/-	Rs 5900/-	45 (Forty Five) days

provided they produce proof of their valid enlistment, GST registration & EPF registration with the appropriate authorities.

1.1.1 Criteria of eligibility for Non-BSNL registered contractors of Public Works Organizations like CPWD, State PWD, DOP, MES & Railways only are as follows.

NO PRIOR WORK EXPERIENCE IS REQUIRED FOR PARTICIPATING IN THIS TENDER

Agreement shall be drawn with the successful Tenderer on prescribed Form No. BSNL- W 7/8, which is available as a BSNL Publication/ on BSNL Web site <a href="www.telangana.bsnl.co.in/"www.civil.bsnl.co.in/"www.civil.bsnl.co.in/"www.civil.bsnl.co.in/"www.civil.bsnl.co.in/"www.civil.bsnl.co.in/"www.civil.bsnl.co.in/"tenderer shall quote his rates as per various terms and conditions contained in the General conditions of contract for Civil works 2006 (as amended upto date) (Available on web site mentioned above duly superseded by additional conditions / specifications attached with tenders document which shall form part of this document).

- 2.0 The time allowed for carrying out the work will be **45 (Forty Five) days** from the **7**th **day** after the date of issue of letter of acceptance of work, or from the first day of handing over of the site or from the next date of issue of PO in ERP, whichever is later, in accordance with phasing, if any, indicated in the Tender Document.
- 3.0 The Site is available with BSNL (OR) The site for the work shall be made available as specified below:

- 4.0 The bid document (Tender documents) consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with by the contractor whose tender may be accepted and other necessary documents along with Standard General Conditions of Contract Form can be seen on website https://etenders.gov.in / www.telangana.bsnl.co.in .
- 5.0 The intending bidder has to fill all the Bank transaction details such as Banker's name, Demand Draft/Fixed Deposit Receipt /Pay Order/Banker's Cheque/Bank Guarantee number, amount and date and **UTR number (if paid on line)** while submitting online bid for the following.
 - (i) <u>Tender Cost/Cost of Bid (Nonrefundable)</u> in the form of Demand draft amounting to **Rs. 590/-** drawn in favour of **Accounts Officer** (Cash), BSNL, Warangal-BA.

Receipt of deposition of Original EMD may be obtained from Executive Engineer (Civil), Warangal or his authorized subordinate Executive. **EMD** can also be paid through on line payment to the account of the Accounts Officer. Account Details are as below:

Name of Account : AO Cash BSNL Warangal Collection Account

Account no : 59090200001344

Name of Bank : BANK OF BARODA,

BRANCH: HANAMKONDA, WARANGAL

IFSC code BARBOHANAMK (Note:Fifth character is ZERO)

(ii) <u>EMD</u> – amounting to Rs 5,900/-(Rupees Five Thousand Nine Hundred only).

Earnest Money can be paid in the form of Demand Draft / Pay order / Banker's cheque/ Deposit at Call receipt / fixed deposit receipts of a scheduled bank issued in favour of **Accounts Officer (Cash)**, **O/o**, **BSNL**, **Warangal-BA** along with Bank Guarantee of any Scheduled Bank wherever applicable. When amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of Bank Guarantee also. In such case, minimum 50% of earnest money (but not less than Rs. 5 lakh) or Rs. 25 lakh, whichever is less, will have to be deposited in the shape prescribed above. For balance amount of earnest money, bank guarantee will also be acceptable.

Receipt of deposition of Original EMD may be obtained from Executive Engineer (Civil), Warangal or his authorized subordinate Executive. **EMD** can also be paid through on line payment to the account of the Accounts Officer. Account Details are as below:

Name of Account : AO Cash BSNL Warangal Collection Account

Account no : 59090200001344

Name of Bank : BANK OF BARODA,

BRANCH : HANAMKONDA, WARANGAL

IFSC code : BARBOHANAMK (Note: Fifth character is ZERO)

- 6.0 Self Attested Copy of Enlistment Order and certificate of work experience and other documents as specified in the tender document and Cost of Tender& EMD shall be scanned and uploaded to the e-Tendering website within the period of bid submission. After submission of the bid online, the contractor can re-submit revised bid any number of times but before last time and date of submission of online bid as notified.
- 7.0 The last date of submission of bid through online is up to 18:00 hours on **16.10.2024.**
- 7.1 The date of submission of **Physical EMD** and **Cost of Tender** (after submission of online bid) (if not paid online) will be up to 15:00 hrs on 18.10.2024

(To be submitted to Executive Engineer (Civil), BSNL Civil Division, Warangal, 2nd floor, KTB, Hanamkonda-506001)

7.2 The date of opening of technical bid will be at 15:30 **hrs on the** 18.10.2024.

(Technical bid will be opened by the Nodal officer (Tenders) at Office of Executive Engineer (Civil), BSNL Civil Division - I, 7th floor, BSNL Bhavan, Adarshnagar, Hyderabad)

7.3 The date of opening of financial bid will be updated in the website after evaluation of Technical bids received.

(Finanancial bid/Price bid will be opened by the Nodal officer (Tenders) at office of Executive Engineer (Civil), BSNL Civil Division - I, 7th floor, BSNL Bhavan, Adarshnagar, Hyderabad)

- 8.0 Online financial bid submitted by intending bidders shall be opened only of those bidders, whose Earnest Money Deposit and Tender cost/Cost of Bid and other eligibility credentials are found in order.
- 8.1 The bid submitted shall become invalid and cost of bid shall not be refunded if: (i) The bidder is found ineligible.
- 8.2 In case the eligibility credentials are not found in order at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law.
- 9.0 The description of the work is as follows: "Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.".
- 10 Copies of other drawings and documents pertaining to the work will be open for inspection by the tenderers at the office of the **EE** (Civil), **Warangal**. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is

practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of

- 11. The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. Tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 14. The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
 - (i) Member of Hindu Undivided family (UHF).
 - (ii) They are Husband and Wife.

the work.

(iii) The one is related to other in the manner as father, mother, son(s) & Son's wife (daughter-in-law), Daughter(s), Daughter's husband (son-in-law), brother(s), brother's wife, sister(s), sister's husband (brother-in-law).

The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee/ gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the

concerned BSNL Civil Zone where he is going to apply for tender/work.

The format of the certificate is given in page No. 15 and should be signed by the tenderer.

The certificate in case of Proprietorship Firm shall be given by the proprietor; for Partnership Firm certificate shall be given by all partners and in case of Limited Company, by all Directors of the company. However, Government of India/Financial Institutions nominees and independent non-official part-time Directors appointed by Govt. of India or the Governor of the State are excluded from the purview of submission of this certificate while submitting tenders by Limited Companies.

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 15. No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU's is allowed to work as a contractor for a period of one year after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India / State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- 16. The tender for the work shall remain open for acceptance for a period of **75 days** from the date of opening of the tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance /intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 17. In case of works having estimated cost below **Rs. 15,00,000/-,** the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled. In case of works of estimated to cost Rs.15,00,000/- and above, the successful tenderer shall, upon issue of letter of acceptance of Tender, shall be required to furnish. **Performance Guarantee** @ **5% of the tendered value** in the form of irrevocable Bank Guarantee of requisite amount to the Engineer-in-charge

in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender by the BSNL. In the event of failure on the part of the successful tenderer to furnish the Bank Guarantee within **15 days**, the earnest money will be forfeited and tender cancelled.

- 18. This Notice Inviting Tender (BSNL W-6) shall form a part of the Contract Document in accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee (wherever applicable), the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award and after issue of **PO in ERP**, the successful Tenderer/Contractor shall, within **30** days from such date, formally sign the agreement consisting of
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - b) Standard BSNL W-7/8 as on website www.telangana.bsnl.co.in
 - c) Agreement signed on non-judicial stamp paper as per Proforma annexed to the tender document.
- 19. Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below: -
- (a) In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
- (b) The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit.
- (c) In case payment is made to outside branch i.e. tenderer is having back account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the tenderer only. The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts.

- 20. First running account bill shall be paid only after
 - (a) signing of the Agreement/Contract by both the parties, and
 - (b) Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 21. General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on website www.telangana.bsnl.co.in as well as in the Divisional/ Sub divisional Office.
- 22. For e-Tendering of this tender, the agency intending to participate in tendering process shall have to register in the e-Procurement system maintained by NIC i.e Central Public Procurement Portal. For details kindly visit website https://etenders.gov.in or www.telangana.bsnl.co.in

For & on behalf of the Bharat Sanchar Nigam Limited

Executive Engineer (Civil) BSNL Civil Division, Warangal

IMPORTANT INSTRUCTIONS TO ALL BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), BSNL Civil Division, Warangal on behalf of BHARAT SANCHAR NIGAM LIMITED (A GOVERNMENT OF INDIA ENTERPRISE), invites online Item rate e- Tenders from approved and eligible contractors of D.O.T/ BSNL and Non BSNL contractors, registered with Public Works Organizations like CPWD, State PWD (B&R), DOP, MES & Railways only having valid GST and EPF registration for the following work:-

1	Sl. No.	1
No: 55/NIT/CETSCZ/HYD/2024-25 DATE: 08.10.2024	NIT No.	2
Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.	Name of work & location	3
Rs. Rs 2,91,843/-	Estimated cost put to tender	4
Rs. 5,900/-	Earnest money	5
45 (Forty Five)days	Period of completion	6
16.10.2024 upto 18.00 hours	Last date & Time of submission of online bid	7
Upto 15.00 hours on 18.10.2024	Last date and time for submission of Physical EMD& Tender cost	8
15:30 hours on 18.102024	Time & date of opening of Technical Bid	10
Will be updated in the website after evaluation of Technical bids received	Time & date of opening of Financial Bid	

- 1. The intending bidder must read the terms and conditions of BSNL W-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required. Please go through the directives carefully. Any lapse / departure may lead to
- a) Rejection of your tender and / or
- b) Forfeiture of your earnest money / and or
- c) Cancellation of your registration and / or
- d) Debarring you from future tenders

- 2. The Standard Form (The General Conditions of Contract for Civil Works 2006) (amended up to date) shall form part of the agreement, to be drawn and signed by the both parties, after acceptance of tender. The Standard Form shall be available in downloadable manner from website http://www.civil.bsnl.co.in / www.telangana.bsnl.co.in
- 3. Information and instructions for bidders posted on website https://etenders.gov.in shall form part of bid document. If not registered, the intending bidders should get themselves registered in the e-Procurement system maintained by NIC i.e Central Public Procurement Portal.
- **4.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website https://etenders.gov.in/www.telangana.bsnl.co.in
- 5. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed deposit receipts or Online paid acknowledgment receipt (auto generated) having UTR number etc towards cost of bid document and EMD in favour of "Accounts Officer (Cash), O/o, BSNL, Warangal-BA" and Other self-attested Credential documents as specified.
- 6. Those contractors who are not registered on the website mentioned above, are required to get registered beforehand.
- 7. The intending bidder must have valid **Class-III** digital signature to submit the bid
- 8. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 9. Contractor can upload documents in the form of **JPG format and PDF format**.
- 10. Contractors shall quote rates for each item. If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as **"0"** (**ZERO**).
- 11. Conditional tender shall be rejected.
- 12. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.

- 13. The tenderer should read carefully & understand the Additional Conditions, Additional Specifications and Particular Specifications, Schedule of Quantity, drawings etc attached with the tender document available in the **O/o EE (Civil)** before actually quoting rates for the work.
- 14. Quoted rates shall deem to include cost of all materials, labour, operations, goods and service taxes and any other contingent item described in items, specifications etc. For Goods and service tax please refer conditions in schedule-F.
- 15. The rate shall also deem to include cost of any other material, labour, operations etc. without which the work would not be satisfactorily complete even though such material, labour, operation would not have been specifically mentioned in specifications etc.
- 16. The schedule of items, estimated cost etc in this contract are based on **CPWD DSR 2023** and Local Market.
- 17. The rates quoted shall include all taxes, GST, CWWC, royalty, seignior age charges that are applicable from time to time as per statutory rules of State / Central Government. The rate quoted will be exclusive of EPF. The EPF will be reimbursed to the extent of contractor contribution on the submission of proof of payment of the concerned authority.

List of Documents to be scanned and uploaded within the period of bid submission

- a) Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR of any Scheduled Bank or any acknowledgement receipt (auto generated) having UTR number etc if paid online against **Earnest Money Deposit**. (Amount as specified above).
- b) Demand draft/Pay order or Banker's Cheque of any Scheduled Bank or any acknowledgement receipt (auto generated) having UTR number etc if paid online towards **cost of Bid document.** (Amount as specified above).
- c) Valid Enlistment order of the contractor (As per applicability).
- d) Certificates of Work Experience (As per applicability).
- e) Undertaking of no near relative as stipulated under Clause 13 of NIT
- f) Valid EPF registration certificate.
- g) GST registration.
- h) Declaration for online BID
- i) Power of attorney if applicable.

1. DECLARATIONS TO BE GIVEN BY THE TENDERERS

a)	slip, available agree with the	le on website	BSNL W-8 amended upto date correction www.telangana.bsnl.co.in / and I/We conditions of it and understood that it will
b)	relative (s) as Telangana Te information	s defined in pelecom Circle. given by me	S/O Sri Resident of Hereby certify that none of my para 14 of BSNL W-6 is/are employed in In case at any stage, it is found that the is false/incorrect, BSNL shall have the vaction as deemed fit without any prior
c)	Resident of submit the three times breach of cor	physical bid after submiss adition and ac	S/O Srihereby declare that, if I/we do not document/Technical bid consecutively sion of online bid. It shall be treated as etion shall be taken to withdraw my/our from tendering in BSNL for six months.
			all the partners in case of partnership a case of companies).
	Date:		Signature of Tenderer
	Other partner	rs .	
	2	s/o	signature:
	3	_s/o	signature:
	4	s/o	signature:



BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

GENERAL RULES AND DIRECTIONS

- 1. All work proposed for execution by contracts will be notified in a form of invitation to tender duly signed by the officer inviting tender will be displayed on the notice board/ pasted in public places or by publication in News papers as the case may be and shall also be on the BSNL website www.telangana.bsnl.co.in/ https://etenders.gov.in. This form will state the work to be carried out, as well as the date for receipt of application, the date of submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited with the tender, and the amount of the security deposit to be deposited by the successful tenderer and the percentage, if any, to be deducted from the bills. Copies of the specifications, designs and drawings and any other documents, required in connection with the work signed for the purpose of identification by the officer inviting tender, shall also be open for inspection at the office of Executive Engineer (Civil) during office hours.
- 2. In the event of the tender being submitted by a firm, it must be signed separately by each Partner thereof or by the partner(s) as specified in the partnership deed or by the person holding a power of attorney authorizing him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act, 1932.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by all the partner(s) or by the partner(s) as specified in the Partnership Deed by the person holding a power of attorney authorizing him to give effectual receipts for the firm.
- 4. The Nodal officer (Tenders) will open tenders in the presence of any intending contractors who may be present at the time. In the event of a tender being rejected, the earnest money shall thereupon be returned to the contractor, remitting the same, without any interest.
- 5. The officer inviting tenders (Executive Engineer (civil)) shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest or any other tender.
- 6. The receipt of an accountant or clerk for any money paid by the contractor will not be considered as any acknowledgement of payment, to the officer inviting tender and the contractors shall be responsible for seeing that he procures a receipt signed by the AO / Sr. AO or a duly authorized Cashier.

- 7. The tenderers shall sign a declaration under the officials Secret Act 1923, for maintaining secrecy of the tender document, drawings or other records connected with the work given to them. The unsuccessful tenderers shall return all the drawings given to them.
- 8. In the event of no rate has been quoted for any item(s) then the rate for such item(s) will be considered as zero and work will be required to be executed accordingly. It will be presumed that the contractor has included the cost of this/ these item(s) in other item(s).
- 9. In case of any tender where unit rate of any item / items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation such a tender is liable to be disqualified and rejected.
- 10. The contractor whose tender is accepted, for amount exceeding Rs. **15.00 Lakhs** (Rupees Fifteen Lakhs), will be required to furnish an irrevocable PERFORMANCE GUARANTEE mentioned elsewhere in the Contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within 15 days of issue of letter of Acceptance of Tender. This guarantee shall be in the form of Fixed Deposit receipts or Guarantee Bonds of a Scheduled Bank or State Bank of India.

The contractor shall permit BSNL at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 5% of gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5% of the tendered value of the work. Such deductions will be made and held by BSNL by way of Security Deposit unless he/they has / have deposited the amount of Security at the rate mentioned above in form of Demand draft / Baker's Cheque / Deposit at call receipt of a Scheduled Bank or State Bank of India in accordance with the form annexed hereto.

In case of works with estimated cost put to tender is up-to and including Rs. 15.00 Lakhs (Rupees Fifteen lakhs) the total security deposit deducted shall be 10% (Ten percent) instead of 5% (Five percent) of the tendered value of the work. Security Deposit shall be recovered @ 10% of gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 10% of the tendered value of the work.

- 11. On acceptance of the tender, the name of accredited representative(s) of the contractor, who would be responsible for taking instructions from the Engineer-in-charge, shall be communicated in writing to the Engineer-in-Charge.
- 12. The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee / Gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

- 13. The tender for the work shall not be witnessed by a contractor or a contractor who himself / themselves has/have tendered or who may and has /have tendered for the same work. Failure to observe this condition would render, the tender of the contractors, tendering, as well as witnessing the tender, liable to summary rejection.
- 14. The tender for composite work includes in addition to building work all other works such as sanitary and water supply installations, drainage installation, electrical work, horticulture work, roads and paths etc. The tenderer apart from being a registered contractor of appropriate class, must associate himself with agencies of appropriate class, which are eligible to tender for sanitary and water supply drainage, electrical and horticulture works in the composite tender.
- 15. The contractor shall submit list of works which are in hand (progress) in the following form:-

Name of work	Name and particulars of division where work is being executed	Value of work	Position of work in progress	Remarks
1	2	3	4	5

16. The contractor shall comply with the provision of the Apprentices Act 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Superintending Engineer(C), may in his discretion, without prejudice to any other right or remedy, available in law, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provision of the said Act.



BHARAT SANCHAR NIGAM LIMITED (A GOVERNMENT OF INDIA ENTERPRISE)

STATE -Telangana	CIVIL ZONE -BSNL Civil Zone, Telangana
ZONE- Telangana	CIVIL CIRCLE - BSNL Civil Circle, Hyderabad
	DIVISION - BSNL Civil Division, Warangal
	SUB-DIVISION- BSNL Civil Sub-Division, Warangal

Item Rate Tender & Contract for Works

e-Tender for the work of " Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.".

TENDER

I/We have read and examined notice inviting tender, schedule, A, B, C, D, E & F, specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Bharat Sanchar Nigam Limited within the time specified in schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for 75 days from the due date of submission thereof and not to make any modifications in its terms and conditions. If I/We withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the B.S.N.L., then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as afore said.

A sum of Rs. **5900/-(Rupees Five Thousand Nine Hundred Only)** has been deposited in prescribed manner as Earnest money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all

the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

I/We agree that, in case of works of **estimated cost** exceeding Rs. 15,00,000/- to deposit an amount equal to 5% of tendered value of the work as performance guarantee in the form of bond of any scheduled Bank of India in accordance with the proforma prescribed or in the form of fixed deposit receipt etc., within 15 days of the issue of letter of acceptance of tender by the BSNL. I/We am/are aware that in the event of failure on my/our part to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled.

the earnest money will be forfeited and tender cancelled.
I/We hereby intimate that for receiving payments I/We have an account in
Bank with account No.
where the ECS / Eft facility of e-payment is
available.
I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a person to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.
I/We agree that should I/We fail to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Bharat Sanchar Nigam Limited and the same may at the option of the competent authority on behalf of the Bharat Sanchar Nigam Limited be recovered without prejudice to any right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise. The information in respect of works in hand is as per proforma enclosed. "I/We agree that this contract is subject to jurisdiction of Court at
Hyderabad only ". (Where the NIT/Tender has been issued).
Dated
Witness:
Address: ()
Signature of Contractor
Occupation: Postal Address:-

ACCEPTANCE

The above tender (as modified	l by you (Contr	actor) and a	s provided in the
letters mentioned hereunder)	is accepted by	me for and	on behalf of the
Bharat Sanchar Nigam Limited	l for	a	sum
of RsR	Rupees		
)
The letters referred to below Agreement: -	shall form part	of this Contr	act
(a)			
(b)			
	For & on behall Limited.	f of the Bhara	at Sanchar Nigam

PROFORMA OF SCHEDULES (A to F)

SCHEDULE "A" Schedule of Quantities (as per PWD-3)

SCHEDULE "B" Schedule of Materials to be issued to the contractor

NIL				
1	2	3	4	5
			Contractor	
			charged from the	e
			materials will be	issu
No.	n of Item		words at which the	e of
S.	Descriptio	Quantity	Rates in figures &	Plac

SCHEDULE "C"

Tools and Plants to be hired to the contractor

S.	Description of Item	Hire charges per	Place of	
No.		Day	issue	
1	2	3	4	
NIL				

SCHEDULE "D": Extra schedule for specific requirements/documents for the work(Enclosed)

SCHEDULE "E": Schedule of component of Materials, Labour etc. for escalation

CLAUSE 10

Component of Materials expressed as percent of Total Value of Work	" X "	75 %
Component of Labour expressed as percent of Total Value of Work	"Y"	25%
Component of POL expressed as percent of Total Value of Work	$^{\prime\prime}\mathbf{Z}^{\prime\prime}$	0%

SCHEDULE "F" Reference to General Conditions of Contract

Name of Work	"" Modification works in the OMC Room and
	other miscellaneous civil works in the First
	Floor of TELEPHONE BHAVAN, KARIMNAGAR."
	,,

Estimated cost of Work	Rs 2,91,083/-(Rupees Two lakhs Ninety One Thousand and Eighty Three only)
	and Lightly Times offiny,

Earnest Money	Rs. 590	Rs. 5900/-(Rupees Five Thousand Nine			
	Hundr	redonly)			
Security deposit		Amount			
10 % of the tendered	d value	Rs			
for works with est	imated				
cost put to tender	up to	(Rupees			
Rs. 15 Lakhs) (5 %	of the	1.)			
tendered value in the	form of	only)			
Bank Guarantee	from				
Scheduled Bank in re-	spect of				
works with estimated	cost				
put to tender					
exceeding Rs. 15 Lakh	s				
Performance Guarant	ee	Amount			
5 % of the tendered v	alue in	Rs			
the form of Bank Gu	arantee				
from Scheduled Ba	nk in	(Rupees			
respect of works	with	only)			
estimated cost put	:o				
tender exceeding Lakhs)	Rs. 15	5			

GENERAL RULES AND DIRECTIONS

Officers inviting tender Executive Engineer (Civil), BSNL Civil Division,

Warangal

Rs 3 Lakhs

Definitions See below

2(i) Engineer-in charge Executive Engineer (Civil), Warangal

2(ii) Accepting Authority Executive Engineer (Civil), Warangal

2(iii) Percentage on cost of materials 10 %

and labour to cover all overheads and profit

2(iv) Standard Schedule of Rates DSR 2021/ Local Market Rates

2(v) Standard BSNL Contract Form BSNL W- 8 with upto date correction Slips

Clause 2 Authority for fixing compensation

under Clause 2 Executive Engineer (Civil), Warangal

Clause 2 A Whether Clause 2 A shall be applicable No

Clause 3A Whether Clause 3 A shall be applicable No

Clause 5

i) Time allowed for execution of work : 45 (Forty Five) days

ii) Authority to give fair and reasonable Extension of time of work :

Final: Executive Engineer (Civil), Warangal

Provisional: Executive Engineer (Civil)

Clause 6A Whether clause 6 A is applicable Yes

Clause 7 Gross value of work to be done together with net payment /adjustment of advance for materials collected, if any since the last such payment for being eligible to interim payment.

Clause 10 Reinforcement steel to be used in the work shall have to be procured as below

Sl. No.	Material	Approved Producer / Product
1	CTD bars Manufactured by (producers)	SAIL, RINL, TATA, Vizag steel,
2	TMT bars Manufactured by (producers)	SAIL, RINL, TATA, Vizag steel,

Clause 10 CA (Adjustment for Cement & Reinforcement & Galvanized Steel): NO

Clause 10D (Increase in wages)

NO

Clause 11 Specification to be followed for execution of work.

CPWD Specification 2009 with up to date correction slips

Clause 12, 12.2 & 12.3: Deviation limit for value

of any item of any individual trade **50%**

Clause 16: Competent authority for deciding

reduced rates

Superintending Engineer / Joint Chief Engineer / Additional Chief Engineer

Clause 36 (i) Minimum qualification and experience of Principal Technical Representative for civil works with estimated cost put to tender more than Rs.500 Lakhs but less than Rs.1000 Lakhs.

Sl No	Minimum qualification of Technical Representative	Discipline	Designation	Minimum experience (Years)	Number	Rate of recovery
1	NOT APPLICABLE					
			4.	2.01	//\ 4	4 . 4 .

Rate of recovery inc case of non compliance of Clause 36(i) be stipulated at above rates

Clause 37(i)		
Extent of GST	Goods and Service Tax	at Prevailing rate of 18% of
Tax payable by	Value of work shall be p	ayable by the contractor. Any
contractor for	variation in the rate	of GST after last date for
Building and	submission of bid shall	be payable to or recoverable
Construction	from the contractor.	
works		
The following rec	overies from the contract	or shall be made from the
payment certific	ate at the rate specified b	elow
i) Construction	n Workers Welfare Cess	1% of value of work
payable to state	e Government / Union	
Territory	·	
ii) Income Tax		At Applicable rate

Clause 42 (i) (a) Schedule / statement for determining theoretical Quantities of cement with upto date correction slips on the basis of

Delhi Schedule of Rates 2021

Variation permissible on theoretical quantities

a) Cement for works with estimated costs put to tender

i) not more than Rs. 5 lakhs

3 % minus

ii) More than 5 Lakhs

2% minus

b) Steel reinforcement and structural steel sections for **2% minus** each diameter, section and category

Star prices to be considered for escalation & recoveries

Sl No	Material	Unit	Star Price (in Rupees)
1	Cement (OPC)	Metric Ton	Rs.5433/- (Rupees Six thousand three hundred sixty seven)
2	Reinforcement Steel conforming to BIS 1786 (Fe 500 Grade)	Metric Ton	Rs. 35892/- (Rupees Forty eight thousand two hundred forty)

The rate for recovery under Clause 42 shall be same as the Star Price

SPECIAL CONDITIONS OF CONTRACT

- 1. The completed work may be inspected for approval by the "Acceptance Testing Unit of the Telecom Circle / Client". It shall be the responsibility of the contractor to offer the completed work for inspection and approval of the A/T in co-ordination with and as per the directions of the Engineer-in-charge and nothing extra shall be payable on this account. The agency shall be responsible for getting the clearance from the AT wing of the department at specific stages as may be fixed by the Engineer-in-charge. Necessary co-ordination with the AT wing will be arranged by the Engineer-in-charge or his authorized sub-ordinates. If the completed work is not found satisfactory as per the prescribed specifications, corrective measures ordered by the Engineer-in-charge shall be carried out immediately by the contractor without any additional expenditure liability to the BSNL
- 2 The contractor shall take instructions from the Engineer-in-Charge for stacking of materials in any place. No excavated earth or building materials shall be stacked on areas where other buildings, roads, services of compound walls are to be constructed.
- 3 The structural drawings as required for the work may be issued in stages taking into consideration the approved program as well as the actual progress.
- 4 Other agencies doing works related with this project will also simultaneously execute the works and the contractor shall afford necessary facilities for the same. The contractor shall leave such necessary holes, openings etc. for laying / burying in the work of pipes, cables, conduits, clamps, boxes and hooks for fan clamps etc. as may be required for other agencies, conduits for electrical wiring / cables will be laid in a way that they leave enough space for concreting and do not adversely affect the structural members. Nothing extra over the agreement rates shall be paid for the same.
 - The contractor shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of others.
- The rates quoted shall include all taxes, GST, CWWC, royalty charges that are applicable from time to time as per statutory rules of State / Central Government. The rate quoted will be exclusive of EPF. The EPF will be reimbursed to the extent of contractor contribution on the submission of proof of payment to the concerned authority.
- 6 All cement bags and all other similar perishable items shall be stored by the contractor in a separate go-down which shall be exclusively constructed by the contractor for this purpose at his own cost as per general guidelines given in the "Typical Sketch for Cement Godown" under clause 3.2.1.4 of the Specifications. The dimensions given in the said sketch are only indicative and the contractor shall be bound to construct the storage godown of sufficient size so as to properly store the appropriate quantity of cement required for consumption for not less than ONE MONTH. Such go-down shall have weather proof roof and walls. The go-down shall be provided with a single door with arrangement for locking it simultaneously with two locks. The contractor shall be fully responsible for the safe custody of all the materials even if the materials are kept and stored under double lock system. The account of daily receipts and issues of the cement bags shall be maintained in the said register which shall be signed daily by the contractor or by his authorized agent in token of correctness of the entries.

- 7 The contractor shall take all precautionary measures to avoid any damage to adjoining property. All necessary arrangement shall be made at his own cost.
- 8 The contractor shall be responsible for the watch and ward / guard of the work, safety of all fittings and fixtures including sanitary and water supply fittings and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the work is physically handed over to the department. No extra payment shall be made on this account.
- 9 The work is to be carried out in the client's premises, where free movement of contractor's vehicle and labour may be restricted. The contractor has to follow the security requirement of client for the campus area viz. entry passes for the labour and vehicle, security checks at entry / exit gates, restriction on movement of vehicles, restricted timings of working etc. BSNL however shall assist the contractor in obtaining such passes for movement of vehicle and labour. No claim whatsoever shall be entertained on account of delay in entry of vehicles and labour in the campus area including restrictions in working hours, if there is any.
- 10 The work in general should be carried out following the necessary guide lines/ norms of CPCB (Central Pollution Control Board) and rules of local administration /municipalities / Police authorities. No extra payment shall be made on this account.
- 11 Samples including brand / quality of materials and fittings to be used in the work shall be got approved from the Engineer in- Charge, well in advance of actual execution.
- Ordinary Portland Cement, as required in the work, from reputed manufactures of cement, having a production-capacity of one million tonnes per annum or more, such as A.C.C. L&T, Ultratech, Chettinad, Ambuja, Zuari, Coromandal, Ramco and Cement Corporation of India etc. as approved by Ministry of Industry, Government of India and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in- Charge. Supply of cement shall be taken in 50 kg bags bearing manufacture's name and ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in- Charge and got tested in accordance with provisions of the relevant BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-Charge to do so.
- 13 Unless otherwise specified in the schedule of quantities the rates for all items of the work below ground level shall be considered as inclusive of cost of pumping out or bailing out of water if required. For which no extra payment will be made. This will include water encountered from any source, such as rains, floods, sub-soil water or due to any other cause whatsoever.

- 14 GST, Building and the construction workers Welfare Cess or any other tax or Cess in respect of this contract shall be payable by the contractor and BSNL shall not entertain any claim whatsoever in this respect.
- 15 The order or preference in case of any discrepancy as indicated in condition No.8.1 under "Conditions of Contract" given in the General Conditions of Contract for BSNL-2006 form may be read as the following:
- a. Nomenclature of items as per schedule of quantities.
- b. Particular specifications, special and additional conditions etc., as stipulated in tender document.
- c. Contract clauses of Standard BSNL Contract form 2006 as corrected and modified up to last date of receipt of tenders.
- d. CPWD Specifications.
- e. Architectural Drawings.
- f. Indian Standard Specifications.
- g. Sound Engineering Practice.
- h. Manufacture Specifications.
- i. Decision of Engineer-in-Charge shall be final and binding.

A references made to any Indian Standard Specifications in these documents, shall imply to the latest version of that standard, including such revisions / amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standard applicable to the work at site.

- 16 The Contractor shall be bound to follow the instructions and restrictions imposed by the client department Administration / Police authorities / local authorities on the working and /or movement of labour, materials etc. and or due to less/ restricted working hours or any detours in movement of vehicles. Nothing extra shall be payable on this account.
- 17 The Contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers, etc. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of work. Nothing extra shall be payable on this account.
- 18 All material shall only be brought at site as per programme finalized with the respective Engineer-In-Charge. Any pre-delivery of the material, not required for immediate consumption shall not be accepted and thus not paid for.
- 19 Except for the items, for which Particular Specifications are given or where it is specifically mentioned otherwise in the description of the items in the schedule of quantities, the work shall generally be carried out in accordance with the "CPWD Specifications" (Refer Schedule F) and as per instructions of Engineer-in-Charge. Wherever CPWD Specifications are silent, the latest IS Codes/ Specifications shall be followed and the rates should be all inclusive.
- 20 Existing drains, pipes, cables, over-head wires, sewer lines, water lines and similar services encountered in the course of the execution of work shall be protected against the damage by the contractor at his own expense. The contractor shall not store materials or otherwise occupy any part of the site in a manner likely to hinder the operation of such services. In case temporary supporting /shifting of such services is required to facilitate the work, the same shall be done by the contractor at no extra cost.

- 21 The Contractor shall make his own arrangements for electricity required for the execution of the work. Necessary payment shall be made by the Contractor directly to the department concerned. In case the statutory authority fails to sanction the electric connection or delays the sanction of electric connection, the Contractor shall make his own arrangements by providing diesel generators of adequate capacity at his own cost. No delay on this account shall be accepted. Nothing extra shall be paid on this account.
- 22 The Contractor shall make his own arrangement for backup power at his own cost. No interruption of work shall be accepted due to power failure. Nothing extra shall be paid on this account.
- 23 No walls or terraces shall be cut for making any opening after water proofing has been done without written approval of Engineer-in-Charge. When permitted cutting of water proofing work shall be done very carefully so that other portion of water proofing is not damaged. On completion of work at such place the water proofing work shall be made good and ensured that the opening / cutting is made fully water proof as per contract specifications/ directions of Engineer-in-Charge. Nothing extra shall be payable on this account.
- 24 No structural member shall be chased or cut without the written permission of the Engineer- in-Charge.
- 25 All the hidden items such as water supply lines, drainage pipes, conduits, sewers etc. are to be properly tested before covering.
- 26 The contractor, his agents / representative, workman etc. shall strictly observe orders pertaining to fire precautions prevailing in the area.
- 27 The contractor shall take instructions from the Engineer-in-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, compound wall, services etc are to be constructed.
- 28 The contractor shall provide at his own cost suitable weighing, surveying and leveling and measuring arrangements as may be necessary at site for checking. All such equipments shall be got calibrated in advance from laboratory, approved by the Engineer-in-Charge. Nothing extra shall be payable on this account.
- 29 Water tanks, taps, sanitary, water supply and drainage pipes, fittings and accessories should conform to byelaws and municipal body / corporation where CPWD Specifications are not applicable. The contractor should get the materials (fixtures/fittings) tested by the Municipal Body / Corporation authorities wherever required at his own cost.
- 30 The contractor shall procure the required materials in advance so that there is sufficient time for testing of the materials and approval of the same before use in the work.
- 31 In case the existing services are to be shifted permanently, then before dismantling the existing services, alternate/diversion of service lines has to be laid by the contractor so that there is no interruption in use of existing services. The contractor has to plan the alternate suitable route for diversion/shifting of service lines and get the same approved from the Engineer-in-Charge before starting shifting of services. Nothing extra shall be paid except the payment of dismantling and laying of new service lines as per conditions of contract.

- 32 For construction works which are likely to generate malba / rubbish to the tune of more than a tempo / truck load, contractor shall dispose of malba, rubbish & other unserviceable materials and wastes at his own cost to the notified /specified dumping ground and under no circumstances these shall be stacked / dumped even temporarily, outside the construction premises.
- 33 In case of surplus excavated earth available at site, if the department wants to dump whole or part of surplus earth at a place as directed by the Department, the contractor shall dump it at the place so directed and the carriage for lead beyond 50 metre shall be paid as per Clause 12 of the agreement, otherwise the contractor shall dispose it off with the permission of Engineer-in-charge at the places of his choice and no carriage shall be paid for such disposal.
- 34 Surplus excavated earth which is beyond the requirement of the B.S.N.L shall have to be disposed of the contractor at his own cost beyond the municipal limits or at places identified by the local bodies or as directed by the Engineer-in-Charge after obtaining written permission of the Engineer-in-Charge and no payment will be made by the Department for such disposal of this surplus excavated earth.
- 35 In accordance with requirements of the pollution control board:
 - a. The contractor shall ensure that, the vehicles for bringing construction material to the site shall be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours / at such hours as are permitted by the local authorities. Nothing extra shall be payable on this account.
 - b. The contractor shall ensure that, ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Nothing extra shall be payable on this account.
 - c. The contractor shall ensure that, adequate measures to reduce air and noise pollution during construction have been adopted as per CPCB norms on noise limits. Nothing extra shall be payable on this account
 - d. The contractor shall ensure the safety equipments like boots, helmets, safety belts, gloves etc. must be provided for the workers and best and safe engineering practices must be adopted. Nothing extra shall be payable on this account.
 - e. The contractor shall ensure, the stipulations under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 shall be ensured. Nothing extra shall be payable on this account
 - 37. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water. Nothing extra shall be payable on this account.

- 38. If, any levy / fine is imposed by the regulatory authorities / inspecting authorities on account of violation of the above specified norms, the same shall be recovered from the contractor.
- 39. No Payment shall be made to the contractor for any damage caused during the execution of work because of cause(s) not covered under Clause 43 of the Contract. The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained.
- 40. Some restrictions may be imposed by the security staff etc. on the working and/ or movement of labour, materials etc. and the contractor shall be bound to follow all such restrictions/ instructions and nothing extra shall be payable on this account.
- 41. The contractor shall comply with proper and legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges which he may be liable and nothing extra shall be payable on this account. The work shall be carried out without infringing on any of the local Municipal Bye-Laws.
- 42. The contractor shall given a performance test of the entire installations as per standard specifications before the work is finally accepted and nothing extra what so ever shall be payable to the contractor for the tests.
- 43. The contractor shall engage licensed plumber for sanitary, water supply, drainage work and also get all the materials and system (including the materials supplied if any, by the department) tested by the Municipal Authority, Whenever required, at his own cost including testing fees, transport etc. according to Municipal by Laws. The contractor shall produce necessary certificate from the Municipal Authorities after completion of work. Nothing extra will be paid on this account. The Contractor shall execute the guarantee for removal of defects after completion in respect of water supply and sanitary installation.
- 44. The contractor will work in close liaison, during the works, with other contractors of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly.
- 45. Communication and commuting: In order to maintain instant and effective communication at all times, the contractor shall provide one set of communication system to the site so as to receive and pass on the instructions to and from the staff of department/ contractor irrespective their place and location. The rates quoted by the contractor shall be deemed to be inclusive of this cost. No additional payment shall be made to the contractor for providing these facilities.
- 46. Transportation and office Infrastructure:- In order to complete the work within the schedule time if the contractor shall be required to do the work in more than one shift and accepted by the department, the contractor will provide vehicular facilities to the BSNL site staff to reach the site and their residences at his own cost for their services required beyond the normal office hours. In case the contractor fails to provide the facilities, Engineer-in-charge shall be at liberty to make the arrangement themselves and deduct the respective cost from the contractor's bill.

47. The intending bidders are advised to visit the site to acquaint themselves of the site conditions before quoting for the work.

- 48. All statutory deductions such as contribution to State Construction Workers Welfare Fund and deductions towards income tax and work contract tax etc at the prevailing rates will be recovered from the bills of the contractors and remitted directly to the concerned authorities.
- 49. None of the contractor's representatives/ workers will be permitted to stay in the working place beyond the normal working hours. In case where the work has to be carried out beyond normal working hours prior permission shall be obtained in writing from the competent authority.
- 50. All tools and plants required for the work will have to be arranged by the contractor and shall readily be available at the site of work.
- 51. The contractor shall carry out at free of cost any damage caused to any structure/ property of BSNL on account of the subject construction
- The intending bidders shall remain aware that this NIT and the conditions contained therein (except for the schedule of quantities) are very brief and indicative in nature as to the fuller terms and conditions including all corrections/ amendments / specific formats etc. of the "GENERAL CONDITIONS OF CONTRACT" as available with the Executive Engineer, which can be had for reference on request, and (or) as available in downloadable form at website www.telangana.bsnl.co.in / Should there be any difference between the Specific conditions mentioned above and conditions mentioned elsewhere in the General Conditions of Contract, the former shall prevail
- 53 The bidder must comply with the Provisions of EPF & Misc. Provisions Act, 1952 and Employees Provident Fund Scheme 1952, in respect of labourers / employees engaged by the bidder for carrying out works.
 - Nonc ompliance of above provision will be treated as breach of contract and necessary action against the bidder will be taken.

54. The claim bill of contractor must accompany.

- (i) The list showing the details of labourers / employees engaged.
- (ii) Duration of their engagement.
- (iii) The amount of wages paid to such labourers / employees for the duration in question.
- (iv) Amount of EPF contributions (both employer's & employees' contribution), paid to the EPF Authorities.
- (v) Copies of Authenticated documents paid to EPF Authorities.
- (vi) A declaration from the bidder regarding compliance of the conditions of EPF Act 1952 must be submitted along with the bid.
- (vii) Copy of latest GST return submitted

PROTECTION OF LIFE, PROPERTY AND EXISTING FACILITIES

- 1. The contractor is fully responsible for taking all possible safety precaution during preparation for and actual performance of the works, and for keeping the construction site in reasonable safe condition. The contactor shall protect all life and property from damage of losses resulting from his construction operations and shall minimize the disturbance and inconvenience to the public
- 2. Copy of Insurance policy for workers, from any of the Nationalized Insurance companies, covering all the workers and Supervisory staff employed/ to be employed, during the course of execution, is to be submitted before commencement of work.
- 3. In this connections, the attention of the contractors are drawn to the safety measures and precautions including code of conduct while safety carrying out the work and also detailed Engineering Instructions enumerated in this tender document.
- 4. Necessary safety belts, helmets, harnesses and other necessary safety equipments are to be adequately provided to all the labourers.
- 5. The contractor shall be solely liable for all expenses for and in respect of repairs and / or damage occasioned by injury of or damage to such underground and over ground structures or other properties and undertake to indemnify and keep indemnified the BSNL from and against all actions, cause of actions, damages, claims and demands what- so-ever either in law or in quality and all losses and damages and costs (inclusive between attorney and clients), charges and expenses in condition therewith and / or incidental thereto.
- 6. The current market value of any commodities lost as a result of any damage to the aforesaid existing facilities shall be paid by the contractor together with such additional sums necessary to liquidate the personal or property damages resulting there from.

Executive Engineer (Civil)

CONDITIONS FOR CEMENT AND STEEL

1.0. CONDITIONS FOR CEMENT

1.1 Issue of Cement

Cement shall be kept under double lock system in godown at site, fixed with single door. Key of one lock shall remain with the representative of the Engineer -in-charge at the site of work and the other with the contractor or his authorized agent. Day to Day receipt and issue of account of cement shall be maintained by the junior in charge in the cement register (As per format given below) and signed by the contractor or his authorized representative. However the responsibility of safe custody of material shall rest with the contractor.

CEMENT REGISTER

Date of	ער די	rticulars of I	Receipt	: Pa	ırticula	rs of Issue	es	Daily	Cont	JE's	Remark
receipt.	Quantity received indent no. & date	Progressive total		Qty. issued	Item of work for which issued	Qty. returned at the end of the day	Total issued	balance in hand	rac tor's initia ls	initial s	SDE/AEE /EE's at periodical check
1	2	3	4	5	6	7	8	9	10	11	12

- 1.2. The size of the cement godown indicated in the contract form is only for guidance. The actual size of the godown shall be constructed by the contractor at his own cost, as per the requirements of work.
- 1.3. The contractor shall maintain safe custody of materials brought to the site. The contractor shall also employ necessary watch and ward establishment for the work and other purposes as required at his own cost.
- 1.4. For Cement and Steel and other materials, as prescribed, the quantities brought at site shall be entered in the respective material at site accounts and shall be treated as issued for maintenance of daily consumption.
- 1.5. The procurement of Cement and Reinforcement Steel, and, their issue and consumption shall be governed as per conditions laid down hereunder.
- 1.6. The contractor shall procure 43 grade (conforming to IS: 8112) Ordinary Portland Cement, as required in the work, from reputed manufactures of cement, having a production-capacity of one million tonnes per annum

or more, such as ACC, L&T, Vikram, Dalmia, Ultratech, Shree Cement, and cement Corporation of India, as approved by Ministry of Industry, Government of India and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-incharge. Supply of cement shall be taken in 50kg. bags bearing manufactures name and ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-charge and got tested in accordance with provisions of relevant BIS codes. In case test results indicates that the cement arranged by contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-charge to do so.

- 1.7. The cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer-in-charge.
- 1.8. The cement godown of the capacity to store about 2000 bags of cement or as decided by the Engineer-in-Charge shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provision shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in-charge or his authorized representative and the key of the other lock shall remain with the contractor. The contractor shall facilitate the inspection of cement godown by the Engineer-in-charge at any time.
- 1.9. The contractor shall supply free of charge the cement required for testing.
- 1.10. The cost of tests shall be borne by the contractor/deptt. in the manner indicated below:
 - i) By the contractor, if the results show that the cement does not conform to the relevant BIS codes.
 - i) By the Department, if the results show that the cement conforms to the relevant BIS code.

1.0 CONDITIONS FOR STEEL

- 1.1 The contractor shall procure steel reinforcement bars conforming to relevant BIS codes from
 - **Primary producers** as approved by the Ministry of Steel.
- 1.2 The steel reinforcement shall be brought to the site in quantity of lots as approved by the Engineer- in-charge.
- 1.3 The steel reinforcement shall be stored by the contractor at site of the work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes, diameters and lengths shall be stores separately to facilitate easy counting and checking.

1.4 For steel procured from main producers, for checking nominal mass, tensile strength, bend test, etc. specimen of sufficient length shall be cut from each diameter of the bar at random at frequency not less than that specified below.

Size diameter of Bar	For consignment below 100 tonnes	For consignment of over 100 tonnes
Under 10mm dia	One sample for each of 25 tones or part thereof	One sample for each 40 tones or part thereof
10mm to 16mm dia	One sample for each of 35 tones or part thereof	One sample for each of 45 tones or part thereof
Over 16mm dia	One sample for each of 45 tones or part thereof	One sample for each of 50 tones or part thereof

- 1.4 The contractor shall supply free of charge the steel bars required for testing. The cost of tests shall be borne by the contractor/department in the manner indicated below:-
 - By contractor, if the results show that the steel does not conform to relevant BIS codes.
 - By the Department, if the results show that the steel conforms to relevant BIS codes.
 - 1.5 Coefficient of weight i.e. the weight per unit length of the steel procured by the contractor shall be ascertained at site before using it and certified by the Engineer-in-Charge. In case weight per unit length is beyond the rolling margin as laid down in the BIS: 1786, the steel will be rejected and shall be removed from the site of work within; a weeks' time from written order from the Engineer-in- Charge to do so. In case weight per unit length is more than the standard coefficient of weight for the diameter, but is within the rolling margin, then the payment shall be made as per the standard weight per unit length, and, where the weight per unit length is lesser than the standard coefficient of weight for the diameter, but is within the rolling margin, the payment shall be restricted with respect to the actual weight per unit length of the diameter.
 - 1.6 The standard sectional weights referred to in standard table under para 5.3.3., page 75 of the revised CPWD Specifications 2009 or Cement Mortar, Cement Concrete and RCC works, are to be considered for conversion of length of various sizes of Steel Reinforcement bars into weight and are reproduced below for ready reference.

SIZE (mm)	WEIGHT (Kg/M)	SIZE (mm)	WEIGHT (Kg/M)
6	0.222	20	2.470
8	0.395	22	2.980
10	0.617	25	3.850
12	0.888	28	4.830
16	1.580	32	6.310
18	2.000	36	7.990

- 1.7 The actual issue and consumption of steel and Cement on the work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.
- 1.8 Steel and Cement brought to site and remaining unused shall not be removed from site without the written permission of the Engineer-in-Charge.
- 1.9 Cement used in Ready Mix Concrete shall be evaluated based on the certification by the in-charge of the RMC Plant in accordance with design approved by the Engineer-in-Charge.

Executive Engineer (C), BSNL Civil Division Warangal

SCHEDULE - D

ADDITIONAL CONDITIONS

(i) GOODS and SERVICE TAX

The quoted rate shall be inclusive of GST.

(ii) CONSTRUCTION WORKERS WELFARE CESS

Cess under building and other construction worker's welfare cess "Act 1996" and building and other construction workers Cess rules not withstanding anything contained in this contract, cess at the rate stipulated under Clause 3(1) of the Building and other construction worker's welfare Cess Act 1996, shall be recovered from the gross amount of the bill / bills payable under this contract.

(iii) OTHER CONDITIONS

- i) Other agencies doing works related with this project will also simultaneously execute the works and the contractor shall afford necessary facilities for the same. The contractor shall leave such necessary holes, openings etc., for laying/burying in the work of pipes, cables, conduits, clamps, boxes and hooks for fan clamps etc., as may be required for other agencies, conduits for electrical wiring/cables will be laid in a way that they leave enough space for concreting and do not adversely affect the structural members. Nothing extra over the agreement rates shall be paid for the same.
- ii) All safety precautions are to be taken by the agency for the working labour and inspecting officers by taking appropriate actions. (Insurance, safety helmets, safety belts, glues etc.)
- iii) The contractor shall take instructions from Engineer-in-Charge for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services of compound walls are to be constructed.
- iv) Nothing extra will be paid to the contractor for storing the excavated earth beyond 50 meter lead and bringing back excavated earth to the site for refilling under plinth and in raising the formation level as per the architectural drawing and disposing the surplus available excavated earth. The agency has to make own arrangement for storage and conveyance of the excavated earth. Neither anything extra shall be paid for the disposal of surplus excavated earth beyond 50 m lead nor will anything extra be charged from the agency for giving him possession of the surplus earth. Agency will be at his liberty to take away the surplus earth and dispose it as per his own requirement and convenience.

- v) Nothing extra will be paid separately on account of labour charges and wastages of materials for making any projections or depressions in ACP cladding as required as per architectural drawing.
- vi) Nothing extra will be paid for storing the construction materials like Steel, Cement, Coarse aggregate, fine aggregate etc at any location other than the site of work if required.
- vii) Nothing extra will be paid for providing safety barricade all around the compound construction upto appropriate height with synthetic / jute material to arrest the dust, loose materials and debris falling from the construction site to safeguard the trespassers from injury. The decision of Engineer-in-charge in the matter will be final and binding.
- viii) The Contractor shall provide necessary barricading all around the structure with GI Sheet to arrest all the loose materials spreading during construction to safeguard the trespassers from any injury.
- ix) No hindrance will be given on account of rains during the agreement period, as the work is to start during the period of monsoon.
- x) All materials that are tested for use in the work shall be procured well in advance so that enough time is available for testing and approval of these materials by the Engineer-in- Charge.

(iv) MATERIAL MAKES

The tenderer has to provide items specified as under for corresponding item of work and no other equivalent item shall generally be accepted. However, the Engineer-in-Charge reserves right to accept any other equivalent item for the work on satisfaction that the stipulated item is not available in the local market or for any other reason.

LIST OF PREFERRED MAKES FOR VARIOUS ITEMS OF WORK

S. No	Material	Preferred Make
1.	Water Proofing Compound	Fosroc, Pidilite, Impermo by M/s Snowcem, Sika, Accoproof.
2.	PVC Pipes & Fittings	Supreme, Prince, Sudhakar, True bore.
3.	Acrylic Distemper/Plastic Paint	Asian Paints, ICI, Berger.
4.	Synthetic Enamel Paint	ICI(Dulux Gloss), Asian Paints (Premium apcolite Gloss)
5.	Steel Primer	ICI, Asian Paints, Berger, Shalimar.
6.	Dash/Anchoring Fasteners	HILTI / Fischer
7.	Nuts/Bolts and Screws	GKW / Atul.
8.	Stainless Steel Sink (Out of Salem Steel only)	DIAMOND. NIRALI, Jayana, Prestige.
9.	Float Valve	Viking, Prayag.
10.	Admixtures	Fosroc, Pidilite, Roff.
11.	Vitreous China Sanitary Ware	Parryware, Hindustan Sanitaryware, Johnson, Jaguar
12.	Plastic seat cover of W.C.(ISI Mark only)	Commander, Hindware, Parryware
13.	Centrifugally Cast(spun) Iron Pipes & Fittings	NECO or any other B.I.S. marked product & fittings.
14.	Centrifugally Cast(spun) Iron Pipes (Class LA)	Electro Steel, Kesoram, Jindal.
15.	G.I. Pipes	Jindal (Hissar), Tata, Zenith.
16.	G.I. Fittings	Unik, Zenith, HB.
17.	Gun Metal Valves	Leader, ZOLOTO
18.	Stone ware pipes & Gully traps	Perfect, Hind or Crystal.
19.	Mirror Glass	Saint Gobain, Modiguard, Asahi.
20.	Grouting Compound	Latticrete, Fosroc.
21.	Aluminium Sections	Hindalco, Jindal, Indal.
22.	Ready Mix Concrete.	Ultratech, ACC, M/s L&T Concrete, Birla.
23.	Aluminium Fittings	Classic, Everite, Jyothi.
24.	Hydraulic door closer	Hardwyn, Everite.
25.	Floor Springs	Ozone, Hardwyn, Everite,
26.	Exterior paint	Asian, ICI, Berger, Jenson & Nicholson
27.	Pre-laminated particle board	Novapan, Ecoboard, Kitply, Green ply
28.	Aluminium Composite Panel (ACP)	Armstrong, Reynobond, Alpolic, Alucobond.
29.	Reflective glass	Saint Gobain, Asahi, Modi.
30.	Polyvinyl Butyl film	Dupont, Trossifoil, Trussof.
31.	PVC Sheet flooring	LG, Armstrong, Jindal.
32.	Prepainted sheet	Tata-bluescope, Jindal.
33.	ERW pipe	Tata, Jindal.
34.	Silicon sealant	Dow corning, GE.
35.	Epoxy grouts	Saint Bobin, Latticrete, FOSROC.
36.	Flush Door Shutters	Kitply, Standard, Kutty.

38. Cupboard lock Dorset, Godrej, Europa.	37.	Hardware Fittings	EARL BIHARI / HETTICH / LAXMI.
39. Drawer Multilock Cylindrical lock Cylindrical lock Cylindrical lock Cylindrical lock Cylindrical lock Codrej, Navtal, Sheel. Godrej, Navtal, Sheel. Modifloat / Asahi / Saint Gobain. GreenPly / Kitply. 44. Prelaminated MDF Board Morino. NUWOOD. 46. Laminates Greenlam/Formica/Merinolam/Royal Touch Jenson &Nicholson / Asian / British / Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Farryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. IHP. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling 57. Square perforated metal false ceiling 58. Providing Acoustical felt treatment Forwiding Acoustical felt Treatment Conwed / Unimet / TRAC. Conwed / Unimet / TRAC. Conwed / Unimet / TRAC. Conwed / Donn. 60. Epoxy paint Nerolac / Asian. Unitile / Donn. 61. Access flooring system (False floor) Gory 62. Perforated panels (False floor) Modular work stations GreenPly / Kitply, Greenply. Garware, Meditech, 3M. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiscal. 66. Marine plywood Kenwood, Kitply, Greenply. 67. Marine plywood Guna, Kenwood, Galaxy, Century. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 70. PVC Door shutter 71. PVC Door shutter 72. White Cement 85CUR, Parin Ababai / Saint White / J.K. White.	38.	_	
40. Cylindrical lock 41. Mortice latch & lock 42. Glass 43. Plyboard 44. Prelaminated MDF Board 45. Plain MDF Board 46. Laminates 47. Paints 48. Water Proof cement paint 49. PVC tiles 49. Porcelain ware 49. Porviding Acoustical felt treatment 49. Roysum board accessories 40. Insulation above false ceiling 40. Square perforated metal false ceiling 41. Access flooring system (False floor) 42. Perforated panels (False floor) 43. Pivic Commercial plywood 44. Prelaminated MDF Board 45. Porcelain ware 46. Laminates 46. Laminates 47. Paints 48. Water Proof cement paint 49. PVC tiles 49. Porcelain ware 49. Parnyware / Nycer / Hindware. 40. Parnyware / Nycer / Hindware. 40. Parnyware / Nycer / Hindw	39.	-	-
42. Glass Modifloat / Asahi / Saint Gobain. 43. Plyboard GreenPly / Kitply. 44. Prelaminated MDF Board Merino. 45. Plain MDF Board NUWOOD. 46. Laminates Greenlam/Formica/Merinolam/Royal Touch 47. Paints Jenson &Nicholson/ Asian/ British/ Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Conwed / Unimet / TRAC. 58. Providing Acoustical felt treatment Soundtex. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson 66. Wood preservative Birls Majaria, Euro, Marbonite, Johnson 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Birla White / J.K. White.		Cylindrical lock	,
42. Glass Modifloat / Asahi / Saint Gobain. 43. Plyboard GreenPly / Kitply. 44. Prelaminated MDF Board Merino. 45. Plain MDF Board NUWOOD. 46. Laminates Greenlam/Formica/Merinolam/Royal Touch 47. Paints Jenson &Nicholson/ Asian/ British/ Nerolac/ICL/Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Conwed / Unimet / TRAC. 58. Providing Acoustical felt treatment Soundtex. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) Unitile / Donn. 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 66. Wood preservative Guna, Kenwood, Galaxy, Century. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex. 72. White Cement Superior / Stipple J.K. White. 73. Witer Cement Birla White / J.K. White.	41.	Mortice latch & lock	Godrej, Navtal, Sheel.
44. Prelaminated MDF Board Merino. 45. Plain MDF Board NUWOOD. 46. Laminates Greenlam/Formica/Merinolam/Royal Touch 47. Paints Jenson &Nicholson/ Asian/ British/ 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Conwed / Unimet / TRAC. 58. Providing Acoustical felt treatment Soundtex. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) Unitile / Donn. 62. Perforated panels (False floor) </td <td>42.</td> <td>Glass</td> <td></td>	42.	Glass	
45. Plain MDF Board Greenlam/Formica/Merinolam/Royal Touch 46. Laminates Jenson &Nicholson/ Asian/ British/ Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes IHP. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Armflex / Superion / Eurobatex. 58. Providing Acoustical felt treatment Superior S	43.	Plyboard	GreenPly / Kitply.
46. Laminates Greenlam/Formica/Merinolam/Royal Touch Jenson &Nicholson/ Asian/ British/ Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes Fis. R.C.C. Pipes IHP. 56. Insulation above false ceiling 57. Square perforated metal false ceiling 58. Providing Acoustical felt treatment 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint 61. Access flooring system (False floor) 62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiscal. 66. Morine plywood Kenwood, Kitply, Greenply. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 70. PVC water tank Note of Dr. White.	44.	Prelaminated MDF Board	Merino.
47. Paints Jenson &Nicholson/ Asian/ British/ Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Glue Fevicol / Vamicol. 51. Ceramic tiles Sand cast iron pipes Farko / Gem / Kingston. 54. Sand cast iron pipes FilhP. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Saure perforated metal false ceiling Saure perforated metal false ceiling Saure perforated metal false ceiling Foysum board accessories Foysum board accessories INDIA Gypsum Ltd., Nerolac / Asian. 10. Access flooring system (False floor) 62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Kenwood, Galaxy, Century. 70. PVC water tank 71. PVC Door shutter Rajashri, Sintex. Birla White / J.K. White.	45.	Plain MDF Board	NUWOOD.
47. Paints Nerolac/ICI./Berger 48. Water Proof cement paint Super Snowcem, Nitcocem. 49. PVC tiles Wonderfloor, Carara. 50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes IHP. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Soundtex. 58. Providing Acoustical felt treatment Soundtex. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 66. Wood preservative Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex.	46.	Laminates	, , , , , , , , , , , , , , , , , , , ,
49.PVC tilesWonderfloor, Carara.50.GlueFevicol / Vamicol.51.Ceramic tilesKajaria / Bell / ORIENT / Somany52.Porcelain wareParryware / Nycer / Hindware.53.CP fittings & accessoriesParko / Gem / Kingston.54.Sand cast iron pipesRIF / BC.55.R.C.C. PipesIHP.56.Insulation above false ceilingArmflex / Superion / Eurobatex.57.Square perforated metal false ceilingConwed / Unimet / TRAC.58.Providing Acoustical felt treatmentSoundtex.59.Gypsum board accessoriesINDIA Gypsum Ltd.,60.Epoxy paintNerolac / Asian.61.Access flooring system (False floor)Unitile / Donn.62.Perforated panels (False floor)Unitile / Donn.63.Modular work stationsBristol, Godrej, Blow plast, Featherlite, Legend.64.Tinted filmGarware, Meditech, 3M.65.Vitrified tilesBell, Kajaria, Euro, Marbonite, Johnson66.Wood preservativeBison by British paints, Woodguard, Termiseal.67.Marine plywoodKenwood, Kitply, Greenply.68.Commercial plywoodGuna, Kenwood, Galaxy, Century.69.Plain particle boardNovopan, Ecoboard.70.PVC water tankSintex (with ISI mark embossing only)71.PVC Door shutterRajashri, Sintex.	47.	Paints	
50. Glue Fevicol / Vamicol. 51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Providing Acoustical felt treatment Squamboard accessories INDIA Gypsum Ltd., 58. Providing Acoustical felt treatment Nerolac / Asian. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) Unitile / Donn. 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex.	48.	Water Proof cement paint	Super Snowcem, Nitcocem.
51. Ceramic tiles Kajaria / Bell / ORIENT / Somany 52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Conwed / Unimet / TRAC. 58. Providing Acoustical felt treatment Soundtex. 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) Unitile / Donn. 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Guna, Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex.	49.	PVC tiles	Wonderfloor, Carara.
52. Porcelain ware Parryware / Nycer / Hindware. 53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling Providing Acoustical felt treatment Sp. Gypsum board accessories INDIA Gypsum Ltd., 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Nerolac / Asian. 61. Access flooring system (False floor) Unitile / Donn. 62. Perforated panels (False floor) Unitile / Donn. 63. Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex.	50.	Glue	Fevicol / Vamicol.
53. CP fittings & accessories Parko / Gem / Kingston. 54. Sand cast iron pipes RIF / BC. 55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Square perforated metal false ceiling Froviding Acoustical felt treatment 59. Gypsum board accessories Gypsum board accessories INDIA Gypsum Ltd., Nerolac / Asian. 61. Access flooring system (False floor) 62. Perforated panels (False floor) Modular work stations Bristol, Godrej, Blow plast, Featherlite, Legend. 64. Tinted film Garware, Meditech, 3M. 65. Vitrified tiles Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Birla White / J.K. White.	51.	Ceramic tiles	Kajaria / Bell / ORIENT / Somany
54.Sand cast iron pipesRIF / BC.55.R.C.C. PipesIHP.56.Insulation above false ceilingArmflex / Superion / Eurobatex.57.Square perforated metal false ceilingConwed / Unimet / TRAC.58.Providing Acoustical felt treatmentSoundtex.59.Gypsum board accessoriesINDIA Gypsum Ltd.,60.Epoxy paintNerolac / Asian.61.Access flooring system (False floor)Unitile / Donn.62.Perforated panels (False floor)Unitile / Donn.63.Modular work stationsBristol, Godrej, Blow plast, Featherlite, Legend.64.Tinted filmGarware, Meditech, 3M.65.Vitrified tilesBell, Kajaria, Euro, Marbonite, Johnson66.Wood preservativeBison by British paints, Woodguard, Termiseal.67.Marine plywoodKenwood, Kitply, Greenply.68.Commercial plywoodGuna, Kenwood, Galaxy, Century.69.Plain particle boardNovopan, Ecoboard.70.PVC water tankSintex (with ISI mark embossing only)71.PVC Door shutterRajashri, Sintex.72.White CementBirla White / J.K. White.	52.	Porcelain ware	Parryware / Nycer / Hindware.
55. R.C.C. Pipes IHP. 56. Insulation above false ceiling Armflex / Superion / Eurobatex. 57. Square perforated metal false ceiling 58. Providing Acoustical felt treatment 59. Gypsum board accessories INDIA Gypsum Ltd., 60. Epoxy paint Access flooring system (False floor) 62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank First (Mither of the wood, Kitply, Greenply) Guna, Kenwood, Galaxy, Century Rajashri, Sintex. First (Mither of the wood, Wither) First (Mither of the wood, Galaxy, Century) First (Mither of the wood, Wenther) Garware, Meditech, 3M. Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. First (Mither of the wood, Kitply, Greenply) Guna, Kenwood, Galaxy, Century Novopan, Ecoboard. First (With ISI mark embossing only) First (With Cement) First (With Cement) First (With Elimark embossing only) First (With Cement) First (With Cement)	53.	CP fittings & accessories	Parko / Gem / Kingston.
56.Insulation above false ceilingArmflex / Superion / Eurobatex.57.Square perforated metal false ceilingConwed / Unimet / TRAC.58.Providing Acoustical felt treatmentSoundtex.59.Gypsum board accessoriesINDIA Gypsum Ltd.,60.Epoxy paintNerolac / Asian.61.Access flooring system (False floor)Unitile / Donn.62.Perforated panels (False floor)Unitile / Donn.63.Modular work stationsBristol, Godrej, Blow plast, Featherlite, Legend.64.Tinted filmGarware, Meditech, 3M.65.Vitrified tilesBell, Kajaria, Euro, Marbonite, Johnson66.Wood preservativeBison by British paints, Woodguard, Termiseal.67.Marine plywoodKenwood, Kitply, Greenply.68.Commercial plywoodGuna, Kenwood, Galaxy, Century.69.Plain particle boardNovopan, Ecoboard.70.PVC water tankSintex (with ISI mark embossing only)71.PVC Door shutterRajashri, Sintex.72.White CementBirla White / J.K. White.	54.	Sand cast iron pipes	RIF / BC.
56.Insulation above false ceilingArmflex / Superion / Eurobatex.57.Square perforated metal false ceilingConwed / Unimet / TRAC.58.Providing Acoustical felt treatmentSoundtex.59.Gypsum board accessoriesINDIA Gypsum Ltd.,60.Epoxy paintNerolac / Asian.61.Access flooring system (False floor)Unitile / Donn.62.Perforated panels (False floor)Unitile / Donn.63.Modular work stationsBristol, Godrej, Blow plast, Featherlite, Legend.64.Tinted filmGarware, Meditech, 3M.65.Vitrified tilesBell, Kajaria, Euro, Marbonite, Johnson66.Wood preservativeBison by British paints, Woodguard, Termiseal.67.Marine plywoodKenwood, Kitply, Greenply.68.Commercial plywoodGuna, Kenwood, Galaxy, Century.69.Plain particle boardNovopan, Ecoboard.70.PVC water tankSintex (with ISI mark embossing only)71.PVC Door shutterRajashri, Sintex.72.White CementBirla White / J.K. White.	55.	R.C.C. Pipes	IHP.
ceiling 58. Providing Acoustical felt treatment 59. Gypsum board accessories 60. Epoxy paint 61. Access flooring system (False floor) 62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 70. White Cement Senson by Britan Britan (False plane) Soundtex. Sound. Sound. Sales (Witply, Greather) Sounds (Sales (Sales), Century. Sounds (Sales), Century. So	56.		Armflex / Superion / Eurobatex.
58.Providing Acoustical felt treatmentSoundtex.59.Gypsum board accessoriesINDIA Gypsum Ltd.,60.Epoxy paintNerolac / Asian.61.Access flooring system (False floor)Unitile / Donn.62.Perforated panels (False floor)Unitile / Donn.63.Modular work stationsBristol, Godrej, Blow plast, Featherlite, Legend.64.Tinted filmGarware, Meditech, 3M.65.Vitrified tilesBell, Kajaria, Euro, Marbonite, Johnson66.Wood preservativeBison by British paints, Woodguard, Termiseal.67.Marine plywoodKenwood, Kitply, Greenply.68.Commercial plywoodGuna, Kenwood, Galaxy, Century.69.Plain particle boardNovopan, Ecoboard.70.PVC water tankSintex (with ISI mark embossing only)71.PVC Door shutterRajashri, Sintex.72.White CementBirla White / J.K. White.	57.		Conwed / Unimet / TRAC.
60. Epoxy paint Nerolac / Asian. 11. Access flooring system (False floor) 12. Perforated panels (False floor) 13. Modular work stations 14. Tinted film 15. Vitrified tiles 16. Wood preservative 16. Marine plywood 16. Commercial plywood 16. Commercial plywood 16. Commercial plywood 16. PVC water tank 16. PVC Door shutter 16. White Cement 17. PVC Door shutter 18. Unitile / Donn. 18. Unitile / Donn. 18. Bristol, Godrej, Blow plast, Featherlite, Legend. 19. Bristol, Godrej, Blow plast, Featherlite, Legend. 10. Bristol, Godrej, Blow plast,	58.	Providing Acoustical felt	Soundtex.
60. Epoxy paint Nerolac / Asian. 11. Access flooring system (False floor) 12. Perforated panels (False floor) 13. Modular work stations 14. Tinted film 15. Vitrified tiles 16. Wood preservative 16. Marine plywood 16. Commercial plywood 16. Commercial plywood 16. Commercial plywood 16. PVC water tank 16. PVC Door shutter 16. White Cement 17. PVC Door shutter 18. Unitile / Donn. 18. Unitile / Donn. 18. Bristol, Godrej, Blow plast, Featherlite, Legend. 19. Bristol, Godrej, Blow plast, Featherlite, Legend. 10. Bristol, Godrej, Blow plast,	59.	Gypsum board accessories	INDIA Gypsum Ltd.,
floor) 62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement Modular work stations Unitile / Donn. Bristol, Godrej, Blow plast, Featherlite, Legend. Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. Kenwood, Kitply, Greenply. Guna, Kenwood, Galaxy, Century. Novopan, Ecoboard. Sintex (with ISI mark embossing only) Rajashri, Sintex. Birla White / J.K. White.	60.		Nerolac / Asian.
62. Perforated panels (False floor) 63. Modular work stations 64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement Dirivitile / Donn. Bristol, Godrej, Blow plast, Featherlite, Legend. Salva Kenwoo, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. Kenwood, Kitply, Greenply. Guna, Kenwood, Galaxy, Century. Novopan, Ecoboard. Sintex (with ISI mark embossing only) Rajashri, Sintex. 72. White Cement Birla White / J.K. White.	61.		Unitile / Donn.
63. Modular work stations 64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement 64. Tinted film 65. Garware, Meditech, 3M. 66. Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Kenwood, Kitply, Greenply. 68. Guna, Kenwood, Galaxy, Century. Novopan, Ecoboard. Sintex (with ISI mark embossing only) Rajashri, Sintex. 72. White Cement Birla White / J.K. White.	62.	Perforated panels (False floor)	Unitile / Donn.
64. Tinted film 65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement 65. Vitrified tiles 66. Bell, Kajaria, Euro, Marbonite, Johnson Bison by British paints, Woodguard, Termiseal. 67. Kenwood, Kitply, Greenply. 68. Guna, Kenwood, Galaxy, Century. 89. Plain particle board 80. Novopan, Ecoboard. 80. Sintex (with ISI mark embossing only) 80. Rajashri, Sintex. 81. Birla White / J.K. White.	63.	Modular work stations	
65. Vitrified tiles 66. Wood preservative 67. Marine plywood 68. Commercial plywood 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement Bison by British paints, Woodguard, Termiseal. Kenwood, Kitply, Greenply. Guna, Kenwood, Galaxy, Century. Novopan, Ecoboard. Sintex (with ISI mark embossing only) Rajashri, Sintex. Birla White / J.K. White.	64.	Tinted film	<u> </u>
Bison by British paints, Woodguard, Termiseal. 67. Marine plywood Kenwood, Kitply, Greenply. 68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex. 72. White Cement Birla White / J.K. White.			·
68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex. 72. White Cement Birla White / J.K. White.			Bison by British paints, Woodguard,
68. Commercial plywood Guna, Kenwood, Galaxy, Century. 69. Plain particle board Novopan, Ecoboard. 70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex. 72. White Cement Birla White / J.K. White.	67.	Marine plywood	Kenwood, Kitply, Greenply.
 69. Plain particle board 70. PVC water tank 71. PVC Door shutter 72. White Cement Novopan, Ecoboard. Sintex (with ISI mark embossing only) Rajashri, Sintex. Birla White / J.K. White. 			
70. PVC water tank Sintex (with ISI mark embossing only) 71. PVC Door shutter Rajashri, Sintex. 72. White Cement Birla White / J.K. White.		1 3	
71. PVC Door shutter Rajashri, Sintex. 72. White Cement Birla White / J.K. White.		-	
72. White Cement Birla White / J.K. White.			, S 27
· ·			
	73.	PVC gratings	Prince / Prayag.

I/We hereby undertake that, I/We/my authorized representative have received the copy of the stated list (along with the tender documents) of brand names of various items to be used for the above work and I/we shall quote my rates of various item accordingly.

SCHEDULE OF QUANTITIES

Name of Work: Modification works in the OMC Room and other miscellaneous civil works in the First Floor of TELEPHONE BHAVAN, KARIMNAGAR.

S.No.	Description of Item	Quant	ity	Rate (Rs)	Unit	Amount(Rs)
2	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete:	3.00	Nos.		Each	
a) 3	300x16 mm Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :	5.00	Nos.		Each	
a) 4	300x10 mm Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	5.00	Nos.		Each	
a)	Twin rubber stopper	10.00	Nos.		Each	

Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanising @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main 'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x 28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size (24x24x3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calcium silicate ceiling tiles of approved texture in the grid, including, cutting/ making

5

opening "for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all T sections shall be pre-painted with polyester baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge.

	Note :- Only calcium silicate false ceiling area will be measured from wall to wall. No deduction shall be made for exposed frames/ opening (cut outs) having area less than 0.30 sqm. The calcium silicate ceiling tile shall have NRC value of 0.50 (Minimum), light reflection > 85%, noncombustible as per B.S. 476 part IV, 100% humidity resistance and also having thermal conductivity <0.043 w/mK.	70.00	Sqm	One Sqm
6	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :			
a) 7	Water thinnable cement primer Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade:	120.00	Sqm	One Sqm
a) 8	Two or more coats on new work. Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including	120.00	Sqm	One Sqm
	loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	5.00	Cum	One Cum
9	Providing and fixing 12mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer-in-charge.			
a)	Pre-laminated particle board with decorative lamination on both sides.	20.00	Sqm	One Sqm
10	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):			
a)	With float glass panes of 4.0 mm thickness (weight not less than 10 kg/sqm)	10.00	Sqm	One Sqm
b)	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	12.00	Sqm	One Sqm

- 11 Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg., for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.
- a) With stainless steel cover plate minimum 1.25 mm thickness.
- 12 Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.
- Providing and fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete.
- a) Anodized (AC 15) aluminium
- 14 Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. complete as per direction of Engineerin-charge
- a) Anodized (AC 15) aluminium
- 15 Fixing of aluminum partitions and doors after making to required sizes and sections as per the drawing from the available material of aluminum sections, particle board, glass panes, neoprene gasket and snap on beading including fixing with rawl plugs and screws or with fixing clips, or with hold fasteners including necessary filling up of gaps at junctions at top, bottom and sides with required PVC/Neoprene felt etc, aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required all complete as per the architectural drawings and the directions of the Engineer-in-charge. (The material for the required quantity is available on as is where is basis in stacked condition will be supplied by the departement free of cost. Finished area of partition is measured for payment)

- 4.00 No. Each
- 5.00 Nos. Each

- 5.00 Nos. Each
- 5.00 Nos. Each

20.00 Sqm One Sqm

16	Providing and fixing 8mm thick cement based bison particle board for panelling in partitions, doors, etc., with necessary screws etc complete as per the directions of the Engineer in charge,(frame work to be paid seperately):	10.00	Sqm		One Sqm	
17	Removing/dismantling of MS Grill/Window shutters/MS angle frame work for AC's in windows of size 1.00mx1.20m including stacking of material etc., all complete as directed by the Engineer-in-charge.	3.00	Job		Each job	
18	Removal of black stains, marks on burnt walls/ceilings by scrapping including cleaning of walls. The cost includes provision of sheets for covering of equipment, scrappers, sand papers, rent for ladders etc., all complete as directed by the Engineer-in-charge.	120.00	Sqm		One Sqm	
19	Removal of black stains, burnt marks from the top face of the existing false flooring tiles by scrapping, scrubbing including dusting off and cleaning of frames and partition sections. The rate includes the cost of liquids, detergents, sand papers, brushes etc., required for cleaning of tiles, floors, equipment, etc., all complete as directed by the Engineer-in-charge.	1.00	Job		Each job	
				Total :		

Contractor

Executive Engineer (Civil)